



1Z0-882^{Q&As}

MySQL 5.6 Developer

Pass Oracle 1Z0-882 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1z0-882.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which two can be used to obtain information stored in the Diagnostics Area?

- A. SHOW WARNINGS
- B. GET DIAGNOSTICS CONDITION 1 @errno=MYSQL_ERRNO, @msg =MESSAGE_TEXT; SELECT @errno, @msg;
- C. SELECT ERRNO, MESSAGE_TEXT FROM INFORMATION_SCHEMA.DIAGNOSTICS_AREA WHERE CONDITION=1
- D. SHOW GLOBAL STATUS LIKE `Diagnostics\`

Correct Answer: AB

QUESTION 2

Cormcctor/Net supports a decoupled database connection mode, where a database Connection is established only when needed.

\`

Choose the three parts that are involved when working with decoupled data.

- A. OpenConnect.MySql, DataTTiread.MySql, CommandExecutor.MySql
- B. MySqlQueryBulld, MySqlQuerytxer. MySq I Query Results
- C. DecoupODBCConn, DecoupMyScjlruiiiimanrt, DecoupMySqlReturn
- D. DataSet, MySqlDataAdapter, MySql Command Builder

Correct Answer: D

QUESTION 3

You execute this EXPLAIN statement for a SELECT statement on the table named comics.which contains 1183 rows:

Mysql> explain select comic_ title, publisher from comics where comic_title like `and Actionand\`;

```
+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
| id | select_type | table | type | possible_keys | key | key_len | ref | rows |
Extra |
+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
| 1 | SIMPLE | comics | ALL | NULL | NULL | NULL | NULL | 1183 |
Using where |
+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+

```

1 row in set (0.00 sec)



You create the following index:

CREATE INDEX comic_title_idx ON comics (comic_title, publisher); You run the same EXPLAIN statement again;

mysql > explain select comic_title ,publisher from comics where comic_title like `and Actionand\`;

id	select_type	table	type	possible_keys	key	key_len	ref	rows	Extra
1	SIMPLE	comics	index	NULL	comic_title_idx	114	NULL	1183	Using where; Using index

1 row in the second SELECT statement need to read all 1183 rows in the index comic_title_idx?

- A. Because comic_title is not the primary key
- B. Because a LIKE statement always requires a full tables scan
- C. Because comic_title is part of a covering index
- D. Because a wildcard character is at the beginning of the search word

Correct Answer: B

QUESTION 4

Inspect the SELECT query:

mysql> EXPLAIN SELECT employees. Emp_no, first_name, last_name FROM employees JOIN title WHERE to_date > `2008-10-11\`;

id	select_type	table	type	possible_keys	key	key_len	ref	rows	Extra
1	SIMPLE	employees	ALL	NULL	NULL	NULL	NULL	299575	NULL
1	SIMPLE	titles	ALL	NULL	NULL	NULL	NULL	442004	Using where; Using join buffer (Block Nested Loop)

2 rows in set (0.00 sec) Which action will optimize the query?

- A. Add an index to the employees. emp_no column.
- B. Add the keyword STRAIGHT_JOIN.
- C. Add an index on the to_date column.
- D. Add the FORCE INDEX (PRIMARY) optimizer hint for the employees table.



Correct Answer: C

QUESTION 5

Consider the my_table table with two integer columns, a and b, and the contents as shown; Mysql > SELECT a, b FROM my_table;

a	b
2	2

1 row in set result of this query?

```
SELECT a-b  
FROM my_table;
```

- A. 0
- B. 2
- C. 4
- D. An error message

Correct Answer: A

[Latest 1Z0-882 Dumps](#)

[1Z0-882 PDF Dumps](#)

[1Z0-882 Braindumps](#)