



1Z0-883^{Q&As}

MySQL 5.6 Database Administrator

Pass Oracle 1Z0-883 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1z0-883.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

Consider typical High Availability (HA) solutions that do not use shared storage. Which three HA solutions do not use shared storage?

- A. Mysql Replication
- B. Distributed Replicated Block Device (DRBD) and Mysql
- C. Windows Cluster and Mysql
- D. Solaris Cluster and Mysql
- E. Mysql NDB Cluster

Correct Answer: ACD

QUESTION 2

Consider the events_% tables in performance Schema.

Which two methods will clear or reset the collected events in the tables?

- A. Using DELETE statements, for example, DELETE FROM performance_schema.events_watis_current;
- B. Using the statement RESET PERFORMANCE CACHE;
- C. Using the statement FLUSH PERFORMANCE CACHE;
- D. Using TRUNCATE statements, for example, TRUNATE TABLE performance_schema.events_waits_current;
- E. Disabling and re-enabling all instruments
- F. Restarting Mysql

Correct Answer: DE

QUESTION 3

A Mysql instance is running on a dedicated server. Developers access the server from the same network subnet. Users access the database through an application that is running on a separate server in a DMZ.

Which two will optimize the security of this setup?

- A. Disabling connections from named pipes or socket files (depending on the operating system of the server)
- B. Running the server with skip-networking specified
- C. Limiting logins to originate from the application server or the server\\'s subnet
- D. Starting the server with bind- address=0.0.0.0 specified



E. Installing Mysql on the application server, and running the database and application on the same server

F. Enabling and using SSL for connections to the Mysql database

Correct Answer: EF

QUESTION 4

An existing master-slave setup is currently using a delayed replication of one hour. The master has crashed and the slave must be "rolled forward" to provide all the latest data.

The SHOW SLAVE STATUS indicates the following values:

RELAY_LOG_FILE = hostname-relay-bin.00004 RELAY_LOG_POS = 1383 Which command set would make the slave current?

A. STOP SLAVE; CHANGE MASTER TO MASTER_DELAY=0; START SLAVE;

B. STOP SLAVE; CHANGE MASTER TO MASTER_DELAY =0, RELAY_LOG_FILE = `hostname-relaybin.00004`, RELAY_LOG_POS = 1383;

C. STOP SLAVE; CHANGE MASTER TO RELAY_LOG_FILE = `hostname-relay-bin.00004`, RELAY_LOG_POS = 1383;

D. STOP SLAVE; SET GLOBAL master_delay =0; START SLAVE;

Correct Answer: A

QUESTION 5

What are two methods of taking a binary backup of a Mysql Server using InnoDB storage engine?

A. Mysql Enterprise Backup

B. Mysqldump with binary-data option

C. Mysqlhotcopy

D. File system snapshots

E. Mysqldumpslow

Correct Answer: AB

[Latest 1Z0-883 Dumps](#)

[1Z0-883 PDF Dumps](#)

[1Z0-883 Practice Test](#)