



1Z0-908^{Q&As}

MySQL 8.0 Database Administrator

Pass Oracle 1Z0-908 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1z0-908.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Your my.cnf file contains these settings:

```
[mysqld]
log_output=FILE
slow_query_log
long_query_time=2.01
log_queries_not_using_indexes
```

You want to log queries that looked at a minimum of 5000 records and either took longer than 5 seconds to run or did not use indexes.

Which contains all the settings that you need to add to or modify the slow log configuration?

- A. min_examined_row_limit=5000
- B. long_query_time=5 log_throttle_queries_not_using_indexes=5
- C. log_throttle_queries_not_using_indexes=5 min_examined_row_limit=5000
- D. long_query_time=5
- E. long_query_time=5 min_examined_row_limit=5000
- F. log_throttle_queries_not_using_indexes=5
- G. long_query_time=5 log_throttle_queries_not_using_indexes=5 min_examined_row_limit=5000

Correct Answer: C

QUESTION 2

Which three are types of InnoDB tablespaces? (Choose three.)

- A. redo tablespaces
- B. encryption tablespaces
- C. schema tablespaces
- D. data tablespaces
- E. undo tablespaces



F. temporary table tablespaces

Correct Answer: BDF

QUESTION 3

Your MySQL installation is running low on space due to binary logs. You need to reduce your log space usage urgently.

Which two sets of actions when completed will accomplish this? (Choose two.)

- A. Use SET GLOBAL binlog_expire_logs_seconds= and restart the server.
- B. Set binlog_expire_logs_seconds in my.cnf.
- C. Set binlog_expire_logs_seconds = 0 in my.cnf and restart the server.
- D. Use SET PERSIST binlog_expire_logs_seconds=.
- E. Use PURGE BINARY LOGS to .
- F. Use SET GLOBAL binlog_expire_logs_seconds= and run the FLUSH BINARY LOGS command.

Correct Answer: AD

Reference: <https://severalnines.com/database-blog/my-mysql-database-out-disk-space>

QUESTION 4

Consider this shell output and executed commands:

```
[root@oel7 ~]# ps aux | grep mysqld
```

```
mysql 2076 3.5 24.6 1386852 372572 ? Ssl 12:01 0:01 /usr/sbin/mysqld
```

```
[root@oel7 ~]# kill -15 2076
```

Which statement is true about MySQL server shutdown?

- A. kill -15 should be avoided. Use other methods such as mysqladmin shutdown or systemctl stop mysqld.
- B. kill -15 and kill -9 are effectively the same forced shutdown that risk committed transactions not written to disk.
- C. kill -15 carries out a normal shutdown process, such as mysqladmin shutdown.
- D. mysqld_safe prohibits commands that would harm the operation of the server. An error would be returned by the kill command.

Correct Answer: C

QUESTION 5



A valid raw backup of the shop.customers MyISAM table was taken.

You must restore the table. You begin with these steps:

1. Confirm that `secure_file_priv=\\var/tmp\\`
2. `mysql> DROP TABLE shop.customers;`
3. `shell> cp /backup/customers.MY* /var/lib/mysql/shop/`

Which two actions are required to complete the restore? (Choose two.)

- A. `shell> cp /backup/customers.sdi /var/tmp`
- B. `shell> cp /backup/customers.sdi /var/lib/mysql/shop/`
- C. `mysql> SOURCE `var/tmp/customers.sdi``
- D. `mysql> IMPORT TABLE FROM /var/tmp/customers.sdi`
- E. `shell> cp /backup/customers.frm /var/lib/mysql/shop/`
- F. `mysql> IMPORT TABLE FROM /var/lib/mysql/shop/customers.sdi`
- G. `mysql> ALTER TABLE shop.customers IMPORT TABLESPACE`
- H. `mysql> ALTER TABLE shop.customers DISCARD TABLESPACE`

Correct Answer: DG

[1Z0-908 PDF Dumps](#)

[1Z0-908 VCE Dumps](#)

[1Z0-908 Study Guide](#)