



1Z0-928^{Q&As}

Oracle Cloud Platform Big Data Management 2018 Associate

Pass Oracle 1Z0-928 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1z0-928.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

You want to take advantage of the many Oracle products your company is using with on-premises products and with cloud services. Your company has locations geographically dispersed. You need to not only share data changes with all those locations, but also want to process the data with various Hadoop products.

Which Big Data Connector should you use?

- A. Oracle R Advanced Analytics for Hadoop
- B. Oracle GoldenGate for Hadoop
- C. Oracle SQL Connector for Hadoop
- D. Oracle Data Integrator for Hadoop

Correct Answer: A

QUESTION 2

ABC Company maintains two Hadoop clusters, one for test and one for production. One of the developers wants to copy a data file from the test to the production environment.

Which two are possible options to accomplish this?

- A. Use Flume to ingest the file again and deliver it to production.
- B. Back up the file to tape and restore it to the production cluster.
- C. Use an FTP command to copy files between the test and production environments.
- D. Use the `hdfs dfs -cp` command to copy the file from test to production.

Correct Answer: CD

QUESTION 3

Given: A Kerberos principal is a unique identity to which Kerberos can assign tickets, and a realm is where the Kerberos database is stored.

What is the realm used by Big Data Cloud Service?

- A. `bigdatacloudservice.oracle.com`
- B. `bdcs.oracle.com`
- C. `bdacoudservice.oracle.com`
- D. `bigdata.oracle.com`



Correct Answer: B

QUESTION 4

HDFS Transparent Encryption protects Hadoop data when you perform read and write operations on encrypted zones. The disk where the HDFS directories are stored will be automatically encrypted and decrypted. HDFS Transparent Encryption must have Kerberos enabled and two principals are created as part of the Kerberos configuration.

When are the two principals created?

- A. They are created when you create a cluster with Security Setup enabled.
- B. They are automatically created in Big Data Cloud Service for Kerberos with your Oracle Cloud account.
- C. They are created when you create an HDFS directory.
- D. They are created when you create your service instance with Security Setup enabled.

Correct Answer: AD

Reference: <https://docs.oracle.com/en/cloud/paas/big-data-cloud/csbdi/using-hdfs-transparentencryption.html#GUID-9DD5DC54-B7FF-4DCA-ACB6-9118F602DA11>

QUESTION 5

Where do you store the version history of Schemas for the Event Hub Cloud Service?

- A. Object store
- B. HDFS
- C. Schema Registry
- D. Archival storage

Correct Answer: C

Reference: <https://docs.oracle.com/en/cloud/paas/event-hub-cloud/ehsra/index.html>

[Latest 1Z0-928 Dumps](#)

[1Z0-928 PDF Dumps](#)

[1Z0-928 VCE Dumps](#)