



1Z0-931-22^{Q&As}

Oracle Autonomous Database Cloud 2022 Professional

Pass Oracle 1Z0-931-22 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1z0-931-22.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

According to Oracle documentation, it is a best practice when planning and instituting Access Controls for your Autonomous Dedicated environment regarding Subnets, Compartments and User Groups.

Which statement is true?

- A. Create a separate VCN that contains only public subnets
- B. Only 1 of each is allowed to be allocated per environment.
- C. Only 1 Subnet and 1 Compartment are allowed, multiple Groups highly advised.
- D. Create at least 2 of each resource

Correct Answer: D

Refer to Best Practices When Planning and Instituting Access Controls section in the <https://docs.oracle.com/en/cloud/paas/autonomous-database/atpfg/plan-and-create-accessconstraints1.html#GUID-ED48C3D3-FC0F-41D5-882A-FC2D916FD6AA> <https://docs.oracle.com/en/cloud/paas/autonomous-database/atpfg/plan-and-create-accessconstraints1.html>

Best Practices When Planning and Instituting Access Controls

When planning and instituting your access controls for the dedicated Infrastructure feature, you should consider these best practices.

- **Create a separate VCN that contains only private subnets.** In almost every case, the Autonomous Databases created on dedicated Infrastructure house data that is company-sensitive and is normally accessible only from within the company's private network. Even the data shared with partners, suppliers, consumers and customers is made available to them through regulated, secure channels.

Therefore, the network access you provide to such databases should be private to your company. You can ensure this by creating a VCN that uses private subnets and an IPSec VPN or FastConnect to connect to your company's private network. For information about setting up such a configuration, see [Scenario B: Private Subnets with a VPN in Oracle Cloud Infrastructure Documentation](#).

For additional information about securing network connectivity to your databases, see [Ways to Secure Your Network in Oracle Cloud Infrastructure Documentation](#).
- **Create at least two subnets.** You should create at least two subnets: one for Autonomous Exadata Infrastructure and Autonomous Container Database resources and one for resources associated with clients and applications of Autonomous Database.
- **Create at least two compartments.** You should create at least two compartments: one for Autonomous Exadata Infrastructure and Autonomous Container Database resources and one for Autonomous Database resources.
- **Create at least two groups.** You should create at least two groups: one for fleet administrators and one for database administrators.



QUESTION 2

Which statement is true about connecting an OCI compute instance to a Shared Autonomous Database?

- A. The Autonomous Database must be in the same VCN and Subnet as the Compute instance.
- B. The OCI compute instance does not support connecting to a Shared Autonomous Database.
- C. The Autonomous Database must belong to a Network Security Group (NSG).
- D. The OCI compute instance can be used with an Always-Free Autonomous Database account.
- E. A Private Endpoint is required to connect to the Shared-Autonomous Database.

Correct Answer: D

QUESTION 3

Which two statements are FALSE about creating a metadata-only clone with a private endpoint network access option?

- A. Current settings for ACLs are cloned.
- B. Clone can be in a different region.
- C. All OML notebooks are cloned.
- D. All underlying data for OML notebooks is cloned.
- E. All resource management rules are cloned.

Correct Answer: BD

<https://docs.oracle.com/en/cloud/paas/autonomous-database/adbsa/autonomous-clone-notes.html#GUIDF943E7FF-8DEB-47F4-84C0-FFA5BAF9D5A9>

QUESTION 4

Which three of the following data sources are available when using the Data Load page on Database Actions?

- A. Files in Oracle Cloud Storage
- B. Backup files in block storage
- C. Local Files
- D. Files in AWS S3 Storage
- E. REST endpoints

Correct Answer: ACD



QUESTION 5

Which three Oracle Cloud Infrastructure (OCI) resources do you need to configure before provisioning your Autonomous Database with Private Endpoint?

- A. Network Security Group
- B. Security List
- C. VCN
- D. Route Table
- E. Subnet

Correct Answer: ACE

To provision an Autonomous Database with a private endpoint, you must have the following resources already created:

A VCN within the region that will contain your Autonomous Database with shared Exadata infrastructure.

Cannot be changed after provisioning. A private subnet within your VCN configured with default DHCP options. Cannot be changed after provisioning.

At least 1 network security group (NSG) within your VCN for the Autonomous Database. Can be changed or edited after provisioning.

<https://docs.oracle.com/en-us/iaas/Content/Database/Concepts/adbsprivateaccess.htm>

[Latest 1Z0-931-22 Dumps](#)

[1Z0-931-22 Practice Test](#)

[1Z0-931-22 Exam Questions](#)