



1Z0-932^{Q&As}

Oracle Cloud Infrastructure 2018 Architect Associate

Pass Oracle 1Z0-932 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1z0-932.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A new employee has just started working for your company. You create an Oracle Cloud Infrastructure user account for this employee, following which they are able to log in, but still cannot create any resources.

What should you do to resolve this?

- A. Send the employee API Signing Keys to log in.
- B. Delete the account and create another one.
- C. Make sure that the employee is logging in to the Oracle Cloud Infrastructure account from your corporate network only.
- D. Add the employee to a group with policies to grant access to relevant resources.

Correct Answer: D

QUESTION 2

Which two will occur when a back-end server that is registered with a back end set is marked to drain connections? (Choose two.)

- A. It disallows new connections to that back-end server.
- B. It keeps the connections to that instance open and attempts to complete any in-flight requests.
- C. It redirects the requests to a user-defined error page.
- D. It immediately closes all existing connections to that instance.
- E. It forcibly closes all connections to that instance after a timeout period.

Correct Answer: AD

Reference: <https://docs.cloud.oracle.com/iaas/Content/Balance/Tasks/managingbackendservers.htm>

QUESTION 3

Which two statements about file storage service (FSS) are accurate? (Choose two.)

- A. FSS leverages UNIX user group and permission checking for file access security
- B. Encryption of file system in FSS is optional
- C. Identity and Access Management (IAM) controls which file systems are mountable by which instances
- D. Security lists can be used as a virtual firewall to prevent an instance from mounting an FSS mount target within the same subnet
- E. Data in transit to an FSS mount target is encrypted



Correct Answer: AD

QUESTION 4

Which three must be configured for a load balancer to accept incoming traffic? (Choose two.)

- A. a listener
- B. a back-end server
- C. a back end set
- D. a security list that is open on a listener port
- E. a certificate

Correct Answer: ADE

Reference: <https://docs.cloud.oracle.com/iaas/Content/Balance/Tasks/managinglisteners.htm>

QUESTION 5

What is the default backup location for database backup on Database Cloud Service (DBCS)?

- A. Object Storage on Oracle Cloud Infrastructure
- B. ASM diskgroup
- C. block volume
- D. locally attached NVMe on Virtual Machine

Correct Answer: A

Reference: <https://docs.oracle.com/en/cloud/paas/database-dbaas-cloud/csdbi/backing.html>

[Latest 1Z0-932 Dumps](#)

[1Z0-932 VCE Dumps](#)

[1Z0-932 Practice Test](#)