



1Z0-932^{Q&As}

Oracle Cloud Infrastructure 2018 Architect Associate

Pass Oracle 1Z0-932 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1z0-932.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

You are designing a two-tier web application in Oracle Cloud Infrastructure (OCI). Your clients want to access the web servers from anywhere, but want to prevent access to the database servers from the Internet.

Which is the recommended way to design the network architecture?

- A. Create public subnets for web servers and private subnets for database servers in your virtual cloud network (VCN), and associate separate internet gateways for each subnet.
- B. Create public subnets for web servers and associate a dynamic routing gateway with that subnet, and a private subnet for database servers with no association to dynamic gateway.
- C. Create public subnets for web servers and private subnets for database servers in your VCN, and associate separate security lists and route tables for each subnet.
- D. Create a single public subnet for your web servers and database servers, and associate only your web servers to internet gateway.

Correct Answer: D

QUESTION 2

Which two Oracle Cloud Infrastructure database services allow you to dynamically scale CPU and storage? (Choose two.)

- A. bare metal DB system
- B. virtual machine DB system
- C. Autonomous Data Warehouse (ADW)
- D. Autonomous Transaction Processing (ATP)

Correct Answer: AB

Reference: <https://cloud.oracle.com/iaas/whitepapers/best-practices-deploying-ha-architecture-oci.pdf> (22)

QUESTION 3

You are the Solutions Architect of a large company and are tasked with migrating all your services to Oracle Cloud Infrastructure. As part of this, you first design a Virtual Cloud Network (VCN) with a public subnet and a private subnet. Then in order to provide Internet connectivity to the instances in your private subnet, you create an Oracle Linux instance in your public subnet and configure NAT on it. However, even after adding all related security list rules and routes in the Route Table, your private subnet instances still cannot connect to the Internet.

Which action should you perform to enable Internet connectivity?



- A. Disable "Source and Destination Check" on the VNIC of your Linux instance.
- B. There is no way that a private subnet can connect to the Internet.
- C. Create a Dynamic Routing Gateway (DRG) and route your private IP traffic to the DRG.
- D. Restart the NAT instance.

Correct Answer: A

QUESTION 4

Which certificate format is used with the load balancer?

- A. PFX
- B. PEM
- C. PKCS12
- D. CRT

Correct Answer: B

QUESTION 5

Which storage service is used on OCI for a Data Transfer Service job?

- A. An instance with enough storage to accommodate the job
- B. An object bucket
- C. A File System service instance
- D. Block Volume

Correct Answer: A

[1Z0-932 PDF Dumps](#)

[1Z0-932 VCE Dumps](#)

[1Z0-932 Practice Test](#)