



1Z0-932^{Q&As}

Oracle Cloud Infrastructure 2018 Architect Associate

Pass Oracle 1Z0-932 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1z0-932.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which statement is true about a pre-authenticated request in Oracle Cloud Infrastructure Object Storage?

- A. You can create only 1, 000 pre-authenticated requests per bucket.
- B. You can create a pre-authenticated request only for public buckets.
- C. You cannot retire a pre-authenticated request before it expires.
- D. You cannot extend the expiration date on a pre-authenticated request.

Correct Answer: D

Reference: <https://cloud.oracle.com/storage/object-storage/faq>

QUESTION 2

Which three must be configured for a load balancer to accept incoming traffic? (Choose two.)

- A. a listener
- B. a back-end server
- C. a back end set
- D. a security list that is open on a listener port
- E. a certificate

Correct Answer: ADE

Reference: <https://docs.cloud.oracle.com/iaas/Content/Balance/Tasks/managinglisteners.htm>

QUESTION 3

In which two ways does Oracle Cloud Infrastructure (OCI) file storage (FSS) differ from OCI object storage and block volume services? (Choose two.)

- A. Block volume service is NVMe based, while FSS is not
- B. Object storage and block volume services offer default encryption, but FSS does not
- C. A file system is created within an availability domain, whereas object storage buckets exist at the region level
- D. FSS uses the network file system (NFS) protocol, whereas block volume uses iSCSI

Correct Answer: CD

Reference: <http://storageconference.us/2018/Presentations/Beauvais.pdf>



QUESTION 4

You are responsible for setting up access for all the cloud users of a large enterprise. You log in to the Phoenix region and start creating users and policies. You then realize that some users might be creating resources in the Ashburn region.

Which step should you perform to enable those users?

- A. You can assign a region to each of the users at the time of creation.
- B. IAM users are global and non-admin users can add resources to any region by default.
- C. You need to log in to each region separately to create users for that particular region.
- D. IAM users are global. As an administrator, make sure that you subscribe to the Ashburn region.

Correct Answer: D

QUESTION 5

For what business need should you use Database Cloud Service (DBCS) instead of Oracle database on a compute instance?

- A. to bring your own license on a compute service
- B. to lower license and infrastructure cost
- C. to implement Oracle RAC for high availability
- D. to build an Oracle database on a compute service

Correct Answer: D

[1Z0-932 PDF Dumps](#)

[1Z0-932 VCE Dumps](#)

[1Z0-932 Exam Questions](#)