



# 1Z0-932<sup>Q&As</sup>

Oracle Cloud Infrastructure 2018 Architect Associate

## Pass Oracle 1Z0-932 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1z0-932.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

You had an outage in your application caused by the loss of a shared volume provisioned by File Storage Service (FSS). At this point, you need to restore the data from a snapshot you created of the FSS. What are the steps to restore the data?

- A. Access the directory where the shared volume is mounted, then cd into .snapshot folder, find the snapshot folder you want to recover and use cp or rsync tool to copy the files to the original location.
- B. Open OCI Console, select File Storage Service, find the shared storage, then click on snapshot and restore.
- C. Open OCI Console, select File Storage Service, find the snapshot you created and click restore.
- D. Access the directory, where you mounted the shared volume, then cd into .snapshot folder and find the snapshot folder you want to recover and rename that folder to the original folder name.

Correct Answer: B

---

### QUESTION 2

Given: When creating multiple subnets within a Virtual Cloud Network (VCN), security lists are often made to group common services, for example, SSH and RDP (remote access), 80 and 443 (HTTP), and so on.

By default, what is the maximum number of security lists that can be associated with a subnet upon creation?

- B. 2
- C. 5
- D. 3

Correct Answer: C

Reference: <https://docs.cloud.oracle.com/iaas/Content/Network/Tasks/managingVCNs.htm>

---

### QUESTION 3

Which storage would you use if your big data workload requires shared access and an NFS based interface?

- A. File Storage
- B. Storage Software Cloud Appliance
- C. Object Storage
- D. Archive Storage
- E. Block Volume

Correct Answer: A



Reference: <https://docs.cloud.oracle.com/iaas/Content/File/Concepts/filestorageoverview.htm>

---

#### QUESTION 4

Which two statements define the types of DNS resolvers that exist? (Choose two.)

- A. A custom resolver allows instances to use the host names of the hosts in your on-prem network that are connected to your VCN by an IPSec VPN connection.
- B. A VCN resolver allows instances to use the host names of the hosts in your on-prem network that are connected to your VCN by an IPSec VPN connection.
- C. A VCN resolver allows instances to use host names to communicate with instances on other VCNs in your tenancy.
- D. An Internet resolver allows instances to use the host names that are published on the Internet.

Correct Answer: AD

---

#### QUESTION 5

Which storage service is used on OCI for a Data Transfer Service job?

- A. An instance with enough storage to accommodate the job
- B. An object bucket
- C. A File System service instance
- D. Block Volume

Correct Answer: A

[Latest 1Z0-932 Dumps](#)

[1Z0-932 Exam Questions](#)

[1Z0-932 Braindumps](#)