



# 1Z0-996-20<sup>Q&As</sup>

Oracle Utilities Customer Cloud Service 2020 Implementation Essentials

**Pass Oracle 1Z0-996-20 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1z0-996-20.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

At what stage in the initial measurement data (IMD) import process will the application of meter multipliers be performed?

- A. Critical Validation
- B. VEE
- C. Prepare for VEE
- D. post-VEE

Correct Answer: A

Reference: [https://docs.oracle.com/cd/E18729\\_01/pdf/E18293\\_01.pdf\(78\)](https://docs.oracle.com/cd/E18729_01/pdf/E18293_01.pdf(78))

---

### QUESTION 2

Which three statements are true in relation to a Payment Arrangement Request? (Choose three.)

- A. examines the Account's eligibility for Payment Arrangement
- B. ensures creation of either Pay Plan or Payment Arrangement
- C. creates the Payment Arrangement Service Agreement
- D. calculates delinquent amount for Service Agreements eligible for Payment Arrangement
- E. determines if the Payment Arrangement Request requires approval

Correct Answer: ACE

---

### QUESTION 3

Critical validation rules verify the integrity of the initial measurement data (IMD). If an implementation needs to add new critical validations, where would you configure them?

- A. as new lifecycle algorithms on the IMD Seeder BO (D1-IMDSeeder)
- B. in the pre-processing algorithm of the IMD Seeder BO (DI-IMDSeeder)
- C. as options on the IMD Seeder BO (D1-IMDSeeder)
- D. in the schema of the IMD Seeder BO (D1-IMDSeeder)
- E. in the validation algorithm on the IMD Seeder BO (D1-IMDSeeder)

Correct Answer: B

---



#### QUESTION 4

Which describes derived values and their relationship with Final Measurements?

- A. Final Measurements can have multiple derived values, which represent other values for the same Final Measurement Date/Time.
- B. Derived values can have multiple Final Measurements, which represent other values for the same Initial Measurement Date/Time.
- C. Final Measurements can have one derived value, which represents an alternative for the same Final Measurement Date/Time.
- D. Final Measurements can have one derived value, which represents the Initial Measurement for the same Final Measurement Date/Time.

Correct Answer: D

---

#### QUESTION 5

You are configuring a VEE group to include rules to be executed when loading the initial measurement data (IMD).

What is the VEE group directly associated with?

- A. Device Type and Measuring Component Type
- B. Measuring Component Type
- C. Device Type
- D. Usage Type
- E. Device Configuration Type

Correct Answer: E

Reference: [https://docs.oracle.com/cd/E38983\\_04/PDF/MDM\\_Configuration\\_Guide\\_v2\\_1\\_0\\_3.pdf](https://docs.oracle.com/cd/E38983_04/PDF/MDM_Configuration_Guide_v2_1_0_3.pdf) (151 152)

[1Z0-996-20 PDF Dumps](#)

[1Z0-996-20 VCE Dumps](#)

[1Z0-996-20 Practice Test](#)