



1Z0-996-20^{Q&As}

Oracle Utilities Customer Cloud Service 2020 Implementation Essentials

Pass Oracle 1Z0-996-20 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1z0-996-20.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

New: An electric utility is starting an Advanced Meter Infrastructure (AMI) roll-out for their residential customers. The initial plan is to roll out devices from their manufacturer with potentially three different device models. The customer has not decided what head-end systems they will use to communicate with these devices. Based on the customer's initial roll-out strategy, the devices will have to be configured consistently to support existing tariffs for billing.

Which is a valid consideration to determine the setup of device type administrative data for this implementation?

- A. billing usage rules
- B. the model number
- C. the device's date of manufacturer
- D. valid head-end systems, valid device configuration types, and the electricity service type

Correct Answer: C

QUESTION 2

There has been a meter exchange at a service point in the past year.

How many installation events exist for the service point for the past year?

- A. Two
- B. One
- C. Four
- D. None
- E. Three

Correct Answer: B

Reference: https://docs.oracle.com/cd/E18733_01/pdf/E18368_V2_01.pdf

QUESTION 3

Which describes derived values and their relationship with Final Measurements?

- A. Final Measurements can have multiple derived values, which represent other values for the same Final Measurement Date/Time.
- B. Derived values can have multiple Final Measurements, which represent other values for the same Initial Measurement Date/Time.
- C. Final Measurements can have one derived value, which represents an alternative for the same Final Measurement Date/Time.



D. Final Measurements can have one derived value, which represents the Initial Measurement for the same Final Measurement Date/Time.

Correct Answer: D

QUESTION 4

When you cancel a payment, what will the system automatically do?

- A. generate a new Financial Transaction to reverse the original Financial Transaction
- B. cancel all tenders associated with the payment
- C. impact the credit rating
- D. charge a NSF Fee for the payment cancellation

Correct Answer: D

QUESTION 5

What happens when a device's measuring components are reconfigured (a new measuring component will be read) at a service point?

- A. A device with a new configuration type is created.
- B. The original installation event is updated with the "removal" (expire old device configuration).
- C. A device with a new configuration type is created. Moreover, a new installation event is created to "install" (new device configuration).
- D. The original installation event is updated with the "removal" (expire old device configuration) and a new installation event is created to "install" (new device configuration).
- E. A new installation event is created to "install" (new device configuration).

Correct Answer: D

[1Z0-996-20 PDF Dumps](#)

[1Z0-996-20 Exam Questions](#)

[1Z0-996-20 Braindumps](#)