



# 1Z0-996-22<sup>Q&As</sup>

Oracle Utilities Customer Cloud Service 2022 Implementation  
Professional

## Pass Oracle 1Z0-996-22 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1z0-996-22.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

Which three initial measurement data (IMD) exception categories are available when you execute VEE rules? (Choose three.)

- A. Issue
- B. Terminate
- C. Low
- D. Information
- E. Complete

Correct Answer: ABD

Reference: [https://docs.oracle.com/cd/E18729\\_01/pdf/E18187\\_01.pdf](https://docs.oracle.com/cd/E18729_01/pdf/E18187_01.pdf) (32)

---

### QUESTION 2

What can cause a bill segment to have multiple bill calculation headers?

- A. multiple Rate Version Calculation Group
- B. multiple Scheduled Read Dates covered by the bill period
- C. proration at Bill Factor level
- D. multiple service agreements being covered by a bill segment
- E. proration at Calculation Rules level

Correct Answer: C

---

### QUESTION 3

Which business object performs critical validations whenever initial measurements are loaded?

- A. D1-IMDRetry
- B. D1-GenericIMDMain
- C. D1-IMDSeeder
- D. D1-IMDPreVEE
- E. D1-IMDPeriod

Correct Answer: C

---



Reference: [https://docs.oracle.com/cd/E91711\\_01/PDF/MDM-SGG\\_Business\\_User\\_Guide\\_v2\\_2\\_0\\_2.pdf](https://docs.oracle.com/cd/E91711_01/PDF/MDM-SGG_Business_User_Guide_v2_2_0_2.pdf) (83)

#### QUESTION 4

Your client has the following requirements:

Many customers are installing their own solar electrical generation equipment. When these customers generate more electricity than required for their own use, the surplus can be exported back to the power grid.

In order to measure this generation, we have installed special scalar devices. These devices have separate registers to measure the energy generated (export) and the energy received (import) from the National Grid. Both reads will be stored in kWh, but the import is subtractive and export is consumptive.

What solution should you choose to configure the measuring component types for these specific requirements?

- A. Create two service points: one for subtractive import and the other for consumptive export.
- B. Create one new measuring component type for creating two measuring components (one for import and the other for export) that will be linked to one scalar device.
- C. Create one new measuring component type for creating a new measuring component that will be linked to two different scalar devices (one for import and the other for export).
- D. Create two new measuring component types (one for subtractive import and the other for consumptive export) to enable the creation of two measuring components that will be linked to one scalar device.

Correct Answer: D

#### QUESTION 5

Which three statements are true in relation to Financial Transaction creation algorithms? (Choose three.)

- A. They control how the payoff balance is affected.
- B. They control when a Financial Transaction is to be swept onto a bill.
- C. They control how the General Ledger details are created as these must always exist against a Financial Transaction.
- D. They control if and how the General Ledger entries are created.
- E. They control how the current balance is affected.

Correct Answer: ABD

Reference: [https://docs.oracle.com/cd/E18733\\_01/pdf/E18368\\_V1\\_01.pdf](https://docs.oracle.com/cd/E18733_01/pdf/E18368_V1_01.pdf)

[Latest 1Z0-996-22 Dumps](#)

[1Z0-996-22 VCE Dumps](#)

[1Z0-996-22 Study Guide](#)