



201-01^{Q&As}

Riverbed Certified Solutions Associate - Network Performance Management

Pass Riverbed 201-01 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/201-01.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Riverbed Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Time control in Cascade Pilot is useful when you: (Select 2)

- A. Know the time span analyzed by the View.
- B. Want to change the time selection covered by the View.
- C. Change the resolution of a strip chart.
- D. Analyze more than one trace file.

Correct Answer: AB

QUESTION 2

Which fields are generally available for export using NetFlow technology? (Select 3)

- A. Source and Destination IP Address of endstations
- B. Source and Destination MAC Address of endstations
- C. Source and Destination Hardware Port Numbers of endstations
- D. Source and Destination UDP or TCP Port Numbers
- E. TCP Flags used

Correct Answer: ADE

QUESTION 3

Cascade provides benefits in which of the following areas?

- A. WAN optimization, WAN shaping, QoS Policy enforcement
- B. WAN management, Application Performance, Data Center management
- C. Reporting, Asset Inventory, Ticketing
- D. SNMP Trap collection, Log consolidation, Correlation

Correct Answer: B

QUESTION 4

Which of the following cannot be used for defining the Component of a Service?



- A. CIDR block
- B. Hostgroups
- C. Hostnames
- D. 0/0, meaning all hosts
- E. IP addresses

Correct Answer: B

QUESTION 5

Which of the following are differences between the Cascade Sensor and the Cascade Shark appliances? (Select 2)

- A. Cascade Shark appliance can monitor 10GE interface traffic but Cascade Sensor cannot.
- B. Cascade Sensor can provide flow data to Cascade Profiler but Cascade Shark appliance cannot.
- C. Cascade Shark appliance has much higher write-to-disk rates than the Cascade Sensor and is the appropriate appliance when packet capture is the primary requirement.
- D. Cascade Sensor can recognize the application type by its DPI signature database but Cascade Shark appliance cannot.

Correct Answer: CD

[201-01 VCE Dumps](#)

[201-01 Practice Test](#)

[201-01 Braindumps](#)