



# 201<sup>Q&As</sup>

TMOS Administration

## Pass F5 201 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/201.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by F5 Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

As a part of the Setup Utility, the administrator sets the host name for the BIG IP. What would be the result if the two systems in a redundant pair were set to the same host name?

- A. Host names do not matter in redundant pair communication.
- B. In a redundant pair, the two systems will always have the same host name. The parameter is synchronized between the systems.
- C. The first time the systems are synchronized the receiving system will be assigned the same self-IP addresses as the source system.
- D. When the administrator attempts to access the configuration utility using the host name, they will always connect to the active system.

Correct Answer: C

---

### QUESTION 2

The BIG-IP Administrator needs to avoid overloading any of the Pool Members with connections, when they become active. What should the BIG-IP Administrator configure to meet this requirement?

- A. Different Ratio for each member
- B. Same Priority Group to each member
- C. Action On Service Down to Reselect
- D. Slow Ramp Time to the Pool

Correct Answer: D

---

### QUESTION 3

A BIG-IP Administrator is unable to connect to the management interface via HTTPS. What is a possible reason for this issue?

- A. The port lockdown setting is configured to Allow None.
- B. An incorrect management route is specified.
- C. The IP address of the device used to access the management interface is NOT included in the "P Allow" list in the Configuration Utility.
- D. The IP address of the device used to access the management interface is NOT included in the "httpd Allow" list in the CLI.

Correct Answer: D

---



#### QUESTION 4

Which statement is true about the synchronization process, as performed by the Configuration Utility or by typing `config sync all`?

- A. The process should always be run from the standby system.
- B. The process should always be run from the system with the latest configuration.
- C. The two `/config/bigip.conf` configuration files are synchronized (made identical) each time the process is run.
- D. Multiple files, including `/config/bigip.conf` and `/config/bigip_base.conf`, are synchronized (made identical) each time the process is run.

Correct Answer: C

---

#### QUESTION 5

A BIG-IP Administrator wants to add a new Self IP to the BIG-IP device. Which item should be assigned to the new Self IP being configured?

- A. Interface
- B. Route
- C. VLAN
- D. Trunk

Correct Answer: C

[201 VCE Dumps](#)

[201 Practice Test](#)

[201 Exam Questions](#)