



201^{Q&As}

TMOS Administration

Pass F5 201 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/201.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by F5 Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

A BIG-IP Administrator has configured a BIG-IP cluster with remote user authentication against dc01.f5trn.com. Only local users can successfully log into the system. Configsync is also failing.

Which two tools should the BIG-IP Administrator use to further investigate these issues? (Choose two)

- A. ntpq
- B. pam_timestamp_check
- C. passwd
- D. pwck
- E. dig

Correct Answer: AC

QUESTION 2

A BIG-IP Administrator is working with a BIG-IP device and discovers that one of the Interfaces on a Trunk is DOWN.


What is the reason for this Interface status?

- A. The switch is NOT connected to the Interface
- B. There is NO transceiver installed on the Interface
- C. There is NO default route configured for this trunk
- D. The media speed of the interface has NOT been set

Correct Answer: A

QUESTION 3

Refer to the exhibit.



During a planned upgrade to a BIG-IP HA pair running Active/Standby, an outage to application traffic is reported shortly after the Active unit is forced to Standby. Reverting the flow resolves the outage. What should the BIG-IP Administrator modify to avoid an outage during the next failover event?

- A. The Tag value on the Standby device
- B. The interface on the Active device to 1.1
- C. The Tag value on the Active device
- D. The Interface on the Standby device to 1.1

Correct Answer: A

QUESTION 4

A pool of four servers has been partially upgraded for two new servers with more memory and CPU capacity. The BIG-IP Administrator must change the load balance method to consider more connections for the two new servers. Which load balancing method considers pool member CPU and memory load?

- A. Round Robin
- B. Dynamic Ratio
- C. Ratio
- D. Least Connection



Correct Answer: C

QUESTION 5

Interface 1.2 on a BIG-IP VE has a status of UNINITIALIZED. What is the reason for this status?

- A. Interface 1.2 has been added to a trunk.
- B. Interface 1.2 has NOT been assigned to a VLAN.
- C. Interface 1.2 has been disabled.
- D. No default route has been created.

Correct Answer: B

trunk is a portchannel, you need to add a physical interface.

[201 Practice Test](#)

[201 Exam Questions](#)

[201 Braindumps](#)