



201^{Q&As}

TMOS Administration

Pass F5 201 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/201.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by F5 Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A BIG-IP Administrator is working with a BIG-IP device and discovers that one of the Interfaces on a Trunk is DOWN.

What is the reason for this Interface status?

- A. The switch is NOT connected to the Interface
- B. There is NO transceiver installed on the Interface
- C. There is NO default route configured for this trunk
- D. The media speed of the interface has NOT been set

Correct Answer: A

QUESTION 2

A BIG-IP device has only LTM and ASM modules provisioned. Both have nominal provisioning level. The BIG-IP Administrator wants to dedicate more resources to the LTM module. The ASM module must remain enabled. Which tmsh command should the BIG-IP Administrator execute to obtain the desired result?

- A. modify/sys provision asm level minimum
- B. modify /sys provision ltm level dedicated
- C. modify /sys provision asm level none
- D. modify /sys provision ltm level minimum

Correct Answer: A

QUESTION 3

A new BIG-IP VE is deployed with default settings. The BIG-IP Administrator completes the setup utility in the Configuration Utility. The internal self IP address fails to respond to a ping request. What is a possible cause of this issue?

- A. Port lockdown on internal self IP is set to Allow None
- B. Route is NOT assigned to internal self IP.
- C. Internal interface VLAN is set to untagged
- D. Internal interface VLAN is set to tagged

Correct Answer: D

**QUESTION 4**

A site would like to ensure that a given web server's default page is being served correctly prior to sending it client traffic. They assigned the default HTTP monitor to the pool. What would the member status be if it sent an unexpected response to the GET request.?

- A. The pool member would be marked offline (red).
- B. The pool member would be marked online (green).
- C. The pool member would be marked unknown (blue).
- D. The pool member would alternate between red and green.

Correct Answer: B

QUESTION 5

Which VLANs must be enabled for a SNAT to perform as desired (translating only desired packets)?

- A. The SNAT must be enabled for all VLANs.
- B. The SNAT must be enabled for the VLANs where desired packets leave the BIG-IP.
- C. The SNAT must be enabled for the VLANs where desired packets arrive on the BIG-IP.
- D. The SNAT must be enabled for the VLANs where desired packets arrive and leave the BIG-IP.

Correct Answer: C

[Latest 201 Dumps](#)

[201 VCE Dumps](#)

[201 Brindumps](#)