



Cisco Cybersecurity Operations

Pass Cisco 210-255 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/210-255.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

800,000+ Satisfied Customers





QUESTION 1

Refer to the exhibit. Which application protocol is in this PCAP file?

No.	-	1	ime		S	ou	rce	8.			Des	tin	ati	on	1	Pro	tocol	Len	oth	Info		-	
	10		022	* 1.0	1	1 . W	- 4.4	1.1	-	-				-	-	1.0	cocor	cen	gun	into			
	_	_	022	1000				.24	9.9	- 6	0.1	3.2	. 15	1	7	CP			602	443-5051	and place	19.2	and the second second
-	_	_	_		_	_	.2.			1	92	12	4.2	69.1	20 T	CP				505R8-44		100	ACKI
1.1	_	_	022					-24	9.9	3	0.1	3.2	15	-	1	CP	-	-	6.7	443-5058	J. LAC	×1	
			022				.2.			- 10	92	12	4.2	19.1		CP		-					ACKI
	23	-	023		1	0.0	2.	15					4.2						200	50586-44	J LAC	K1	Seq:
			023		E											Cr.			201	50588-44	3 [PS	н,	ACK]
	25	0.	023	445	1	92.	124	24	9.9				15		-	CP			-				CLE
	26	0.	023	617	19	92.	124	. 24	0.0				15							443-5058			
	27	.0.	037	413	11	92	124	.24	0.0				15			CP			62	443-5058	5 [AC	< 2 ·	Sequ
121200	26	10	11.47	4.74	1	0.0		1.0	4				1.5			CP		. 2		443-5058			
• •				_				1.4							- T	F \$24			540	50586 44			-
D Int D Tra Dat	nsm a C	et 1 155 205 1	Prot Lon by	Cor Cor Cos 010	al sitre	ver:	sio	n 4, toco	sr	ee c: Src	bit 10. Po	s), 0.2	1. 15 50	1 b (1) 586	yte: 0.0. (50	2.1	aptured (5), Ds (), Dst	t: Por	088				
Dat	erne nsm a C Data	et i LSS 205 1 1 gtb	byt	Cor Cor Cos 010	al stre	ol i	510 Pro	n 4, toco	sr	ee c: Src	bit 10. Po	s), 0.2	26	1 b (1) 586	yte: 0.0. (50	2.1	15). Ds	t: Por	088	bits)			
D Int D Tra Dat C	erne a C bata Len	et 1 LSS 205 1 1 gtb 04	byt 603	Cor Cor 010 05]	oc Bi	010	510 Pro 000	n 4, toco	5r 51. 1030	88 c: Src e06	bit 10. Po ead	s), 0.2 rt: 1071	26 . 15 50 1d17	1 b (1) 586 676	yte: 0.0. (50 (13)	2.1 0586	i5). Ds i3. Dst	Par	088 1 192.3	bits) 124.249.5 143 (443)			
> Int > Tra Dat 0 0000 0010	erna a C bata Len 45	et 1 155 205 1 1 9tb 04 00	Prot Lon by: 603 2 00 00	Cor Cor 010 05] 01	00 40	010 06 7b	0000 08 40	00 00	5r 51. 1030 27 40	00 5rc 000 7a 05	bit 10. Po ead	s), 0.2 rt: 1071 93 f3	26 . 15 50 1d17	1 b (1) 586 676 00	yte: 0.0. (50 (13) 08 02	2.1 9586 ab-46	is), Dst	Par	088 (192.) ft: 4	bits) 124.249.9 143 (443)			
> Int > Tra > Dat 0 0000 0010 0020	erno nsm a C bata Len 45 c0	et 1 155 205 1 1 9th 00 7c	00 00 00 00	Cor Cor 010 05] 01 75 09	00 40 5	ver: bl 1 010 06 7b 9a	0000 000 000 000 000	n 4, toco c40.	5r 51. 1030 27 40 0e	00 5rc 000 7a 05 1f	bit 10. Po ead 3c 2b dc	53, 0.2 rt: 070 93 f3 54	26 . 15 50 1d17	1 b (1) 586 676 00 00 04	yte: 0,0, (50 (13) 08 02 aa	2.1 0586 ab-46 00 0f	(5), Dst (), Dst (ebf	it: Por	088 1 192.1 rt: 4	bits) 124.249.5 143 (443)			
> Int > Tra > Dat 0 0000 0010 0020 0030	erno nsm a () ata (Len 45 c0 50	et 1 155 205 1 1 gtb 00 7c 10	Prot Lon by 603 2 00 00 59 72	Cor Cor 010 05] 01 75 09 10	00 40 c5 c6	010 06 7b 9a 7c	0000 000 000 000 000	n 4, toco c 40. 00 bb 00	5r 3030 27 40 0e 16	88 5rc 7a 06 1f 03	bit Po ead 3c 2b dc 01	53, 0.2 rt: 071 93 f3 54 00	26 . 15 50 1d17 00 04 00 c8	1 b (1) 586 676 00 00 04 01	9.0. (50 (13) 08 02 33 00	2.1 9586 ab-46 00 01 02 00	15), Dst 10, Dst 10, Dst 10, Dst	it: Por	088 1 192.1 rt: 4	bits) 124.249.5 143 (443)			
> Int > Tra > Dat 0 0000 0010 0020 0030 0040	erno nsm a () ata (Len 45 c0 50 c4	et 1 155 205 10 9tb 00 7c 10 03	Prot Lon by 603 2 00 00 59 72 03	Cor Cor 010 05] 01 75 09 10 0e	00 40 5 66	010 06 7b 9a 7c ea	0000 000 000 000 000 000	n 4, toco c 40. 00 bb 00 50 78	Sr 3030 27 40 0e 16 d1	88 Src 7a 06 1f 03 76	bit 10. Po ead 3c 2b dc 01 76	53, 0.2 rt: 071 93 f3 54 00 c1	26 . 15 50 1d17 00 00 00 00 00 00 00 00 00 00 00 00 00	1 b (1) 586 676 00 00 04 01 b4	yte: 0.0. (50 (13) 08 02 33 00 6e	2.1 9586 ab-46 00 07 02 00 bf	(5), Ds (4), Dst (4), Dst	it: Por	088 1 192 1 rt: 4 g	bits) 124.249.5 143 (443)			
D Int D Tra Dat C 1 0000 0010 0020 0020 0020 0020 0020	erne nsmi a () ata (Len 45 c0 50 c4 e6	et 1 155 205 10 9tb 00 7c 10 03 50	Prot Lon by 603 2 00 00 59 72	Cor Cor 010 05] 05] 05] 05] 05] 05] 05] 05]	00 40 5 5 6 6 6 6 6	010 06 7b 9a 7c ea 08	510 Pro 000 00 00 00 00 00 00	00 00 00 00 00 00 00 00 00 00 00 00 00	5r 3030 27 40 0e 16	88 Src 7a 06 1f 03 76	bit Po ead 3c 2b dc 01 76 fb	53, 0.2 rt: 071 93 f3 54 00 c1 91	26 . 15 50 1d17 00 04 00 c8	1 b (1) 586 676 00 00 04 01 b4 de	yte 0.0. (54 c13) 08 02 33 00 6e 15 c	2.1 0586 ab.44 00 0f 02 00 bf	(5), Os (1), Dst (1), Dst (1), Dst (1), Dst	(Q.	088 1 192 1 rt: 4 g. e g. e	bits) 124.249.9 143 (443) 			
> Int > Tra > Dat 0 0 0 0 0 0 0 0 0 0 0 0 0	erni nsm a () ata () () ata () () () () () () () () () () () () ()	et 1 155 205 205 205 205 205 205 205 205 205 2	00 00 00 72 03 05	010 051 051 051 051 051 051 051 051 051	00 40 c5 c6 ba 00	010 06 7b 9a 7c ea 1e 09	000 000 000 00 00 00 00 00 00 00 00 00	00 00 00 00 00 00 00 00 00 00 00 00 00	Sr 51, 1030 27 40 0e 16 d1 0d	88 5rc 7a 06 1f 03 76 38 2f	bit 10. Po erad 3c 2b dc 01 76 fb cc	53, 0.2 rt: 071 93 f3 54 00 c1 91 a9	26 . 15 50 00 00 00 00 00 00 00 00 00 00 00 00	1 b (1) 586 676 00 00 04 01 b4 de a8	yte 0.0. (50 c13. 08 02 aa 00 6e fc c0	2.1 9586 ab-46 00 0f 02 06 bf ee 2c	(5), Os (3), Ost (4), Ost (4), Ost (4), Ost (4), Ost (4), Ost (4), Ost (4), Ost (4), Ost (4), Ost	it: Por (0. 1. 	088 1 192.1 rt: 4 0.*	bits) 124.249.5 143 (443) 1.9. 1.9. E			
> Int > Tra > Dat 0 0 0 0 0 0 0 0 0 0 0 0 0	erni nsm a () ata () () ata () () () () () () () () () () () () ()	et 1 155 205 1 1 9tb 00 7c 10 03 50 50 35	Prot Lon by 60.3 00 00 19 20 55 20 5 20 55 20 5 20 55 20 5 2 5 2	Cor Cor 010 051 051 051 051 051 051 051	00 48 05 06 00 00 00 00 00 00	010 06 7b 9a 7c ea 08 1e 09 00	000 000 000 000 000 000 000 000	00 00 00 00 00 00 00 00 00 00 00 00 00	Sr 10.30 27 40 0e 16 d1 0d c0 c0 00	000 C: Src 7a 06 1f 03 76 38 2f 14 00	bit 10. Po ead 3c 2b dc 01 76 fb cc 00 00	s), 0.2 rt: 1071 93 53 54 00 c1 91 33 16	26 . 15 50 00 00 00 00 00 00 00 00	1 b (1) 586 676 00 00 04 01 b4 de a8 39 14	yte 0.0. (50 c13. 08 02 33 00 66 17 00 00 00 00 00 00 00 00 00 0	2.1 9586 ab-46 00 0f 02 06 bf ee 2c	E P r	it: Por (0. 1 x	088 1 192.1 rt: 4 0.+	bits) 124.249.5 143 (443) 1.0. E			
> Int > Tra > Dat 0000 0010 0020 0030 0040 0050 0050 0050 0050 0050 0050 0050 0050 0050 0050 0050	erni a () ata (Len 00 45 c0 50 c4 50 c4 50 c4 50 c4 50 c4 11	155 205 1 gtb 04 00 7c 10 03 50 57 10 35 77	Prot Lon by 60.3 00 00 19 20 55 20 5 2 20 5 20 5 20 5 20 5 20 5 20 5 20 5 20 5 20 5 2 5 2	Cor Cor 010 051 01 75 09 10 02 00 02 00 02 00 02 00 02 00 02 00 02 00 02 00 02 00 02 00 02 00 02 00 00	00 40 00 40 00 00 00 00 00 00 00 00 00 0	010 06 7b 9a 7c ea 08 1e 09 06 5c	000 000 000 000 000 000 000 000 000 00	00 00 00 00 00 00 00 00 00 00 00 00 00	5r 3030 27 40 06 41 0d c0 c0 75	000 7a 06 1f 03 76 38 2f 00 78	bit 10. Po ead 3c 2b dc 01 76 fb cc 00 6d	s), e.2 rt: 93 f3 b4 c1 91 a9 33 16 69	26 7. 15 50 00 0a 00 c8 3a 45 cc 00 00 6e	1 b (1: 586 676 00 00 b4 01 b4 de a8 30 14 74	yte: 0.0. (50 c13) 08 02 aa 00 56 c1 50 00 00 00 00 00 00 00 00 00 00 00 00	2.1 586 ab.46 00 07 02 00 bf ce 2c 2f 53	53, Ds 13, Dst 5ebf E 1 P.r 0 5. 5.	it: Por (0. x x 1 x	088 1 192.1 rt: 4 0.*	bits) 124.249.5 143 (443) 1.0. E 1.9./			
> Int > Tra > Dat > Dat > 0000 0010 0020 0030 0050	erni nsm a () ata (Len 00 45 c0 50 c4 65 50 c4 65 50 00 11 6f	et 1 155 205 1 1 04 00 7c 10 03 50 56 30 35 77 6d	Prot Lon by 60.3 00 00 00 72 05 18 00 77 00 77 00	Cor Cor 010 05) 01 75 09 10 00 10 00 10 00 10 00 10 00 10 00 10 00 10 00 10 00 10 00 10 00 10 00 10 00 0	00 80 00 00 00 00 00 00 00 00 00 00 00 0	010 010 06 7b 9a 7c ea 08 1e 09 00 6c 00	000 000 000 000 000 000 000 000 000 00	00 00 00 00 00 00 00 00 00 00 00 00 00	5r 1030 27 40 0e 16 d1 0d c0 00 75 00	000 7a 06 1f 03 76 38 214 00 78 01	bit 10. Po ead 3c 2b dc 01 76 fb cc0 00 6d 00	s), 0.2 rt: 071 f3 f3 b4 c1 91 a9 33 16 69 00	26 1. 15 50 1d17 00 00 00 00 00 00 00 00 00 0	1 b (1: 586 676 00 00 04 01 b4 de a8 39 14 74 00	yte: 9.0. (50 c13. 08 00 60 15 c13. 08 00 60 15 c13. 08 00 00 00 00 00 00 00 00 00	2.1 586 ab.46 00 07 02 00 bf 6e 22 53 00 53 00	53, Ds 13, Dst 14, Dst 14, P, r 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	it: Por (0. x x 1 1 1 1 1 1	088 1 192.1 rt: 4 0.*	bits) 124.249.5 143 (443) 1.43 1.43 1.43 1.43 1.43 1.43 1.43 1.43			
> Int > Tra > Dat = Dat 0000 0010 0020 0050 00	erni a () ata () ata () ata () ata () ata () ata () a ()	et J 1555 205 1 gth 04 00 7 10 03 050 66 300 355 77 6d 00	00000000000000000000000000000000000000	Cor Cor Cor Cor Cor Cor Cor Cor Cor Cor	00 48 00 48 00 48 00 00 48 00 00 18	Ver: ot 1 0010 06 7b 9a 7c ea 08 1e 09 00 6c 00 00	0000 000 000 000 000 000 000 000 000 0	00 00 00 00 00 00 00 00 00 00 00 00 00	5r 10.30 27 40 0e 16 d1 0d c0 c0 00 75 00 0b	000 7a 000 7a 001 76 388 2f 140 078 001 00	bit 10. Po ead 3c 2b dc 01 76 fb cc 00 00 6d 00 02	s), 0.2 rt: 071 93 f3 b4 00 c1 91 a9 33 16 69 00 01	26 50 1. 15 50 00 00 00 00 00 00 00 00 00 00 00 00	1 b (1) 5866 676 00 00 04 676 01 b4 de a8 39 14 74 00 99	yte 9.0. (50 c13. 08 02 3.a 00 6e 1 fc 00 00 00 00 00 00 00 00 00 0	2.1 0586 00 00 00 00 00 00 00 00 00 00 00 00 00	53, Ds b), Dst bebf E) P r 0 5. unwr DM	it: Por (Q. 	088 1 192.1 rt: 4 0.*	bits) 124.249.9 143 (443) 1.0. E 1.0./ nt.c			
> Int > Tra > Dat > Dat 0000 0020 0040 0040 0040 0040 0040 004	erni nsm a () ata (Len 00 45 c0 50 c4 65 50 c4 65 50 00 11 6f	et 1 155 205 1 1 04 00 7c 10 03 50 56 30 35 77 6d	Prot Lon by 60.3 00 00 00 72 05 18 00 77 00 77 00	Cor Cor Cor 010 05] 01 75 09 10 00 00 00 00 00 00 00 00	000 400 55 56 006 54 000 01 200 01 100 100	Ver: 51 1 0010 06 7b 9a 7c ea 08 1e 00 00 6c 00 00 00	0000 000 000 000 000 000 000 000 000 0	000 000 000 000 000 000 000 000 000 00	5r 30 30 27 40 0e 16 d1 0d c0 c0 00 75 00 17	000 7a 006 1f 03 76 38 2f 14 00 78 00 00 00	bit 10. Po ead 3cb dc 01 76 fb cc 00 6d 00 02 15	s), 0.2 rt: 071 93 53 54 60 60 01 60 01 02	26 50 50 00 00 00 00 00 00 00 60 60 60 60 60 60	1 b (1) 586 676 00 00 b4 01 b4 d4 a8 39 14 74 00 00 32	yte 0.0 (56 c13) 08 02 aa 00 66 15 c0 20 00 00 00 00 00 00 00 00 0	2.1 1586 ab.40 000 007 000 000 000 000 000 0	53, Ds 13, Dst 14, Dst 160f 1 1 1 1 1 1 1 1 1 7 1 1 7 1 1 1 1 1 1	it: Por (@. 	088 1 192.1 rt: 4 0.*	bits) 124.249.9 143 (443) 1.9 1.9 1.9 1.9 1.9 1.9 1.9 1.9 1.9 1.9			
D Int D Tra Dat D Tra Dat D Tra D Tr	erni nami a () ata 00 45 c0 50 c45 c50 c45 c50 c45 c50 c45 c50 c45 c50 c45 c50 c45 c50 c45 c50 c45 c50 c45 c50 c45 c50 c45 c50 c45 c50 c45 c50 c50 c45 c50 c50 c50 c50 c50 c50 c50 c50 c50 c5	et 1555 205 205 205 205 205 205 205 205 205	Prof ton by 603 00 00 72 03 56 00 00 72 03 56 60 00 77 72 03 56 77 74	Cor Cor Cor Cor Cor Cor Cor Cor Cor Cor	000 400 c5 c6 000 c0 001 200 001 200 001 33	Ver: 51 0 0010 06 7b 9a 7c ea 08 1e 09 00 6c 00 00 2e	0000 000 000 000 000 000 000 000 000 0	n 4, toco c40: 00 bb 00 78 6d 213 7d 6e 01 00 08	Sr 30.3 30.30 000 27 40 000 10 00 000 75 000 17 68	000 7a 005 1f 03 76 38 2f 14 00 78 00 74	bit 10. Po ead 3c 01 76 6d 00 6d 00 02 15 74	s), 0.2 rt: 1071 933 54 00 001 02 70	26 50 100 00 00 00 00 00 00 00 68 33 45 50 00 68 24	1 b (1) 5866 676 00 00 04 01 04 04 04 04 04 48 339 14 74 00 92 31	yte: 0.0 (50 cl3) 08 02 aa 00 6e fc c0 5e 00 00 02 e 00 02 e 00 00 02 e 12 22 23 22 23 22 23	2.1 1586 ab44 00 00 00 00 00 00 00 00 00 00 00 00 0	53, Ds b), Dst bebf c c c c c c c c c c c c c c c c c c c	(0. 1 × 1 ×	088 1 192.1 193.1 192.1	bits) 124.249.5 143 (443) 1.4 1.0			
D Int D Tra D Tra D Dat D DAT DAT DAT DAT DAT DAT DAT DAT DAT DAT	erni n sm a () at a bat a bat a co co co co co co co co co co co co co	et 1 1555 2051 1 gth 04 000 77c 03 05 660 335 776d 03 364 05	Prof ton by 603 2 00 00 72 03 5 6 03 72 00 00 72 03 5 6 00 00 72 03 5 72 00 00 00 72 00 00 72 00 00 72 00 00 72 00 00 72 00 00 72 00 00 72 00 00 72 00 00 72 00 00 72 00 00 72 00 00 72 000 00 00 00 72 000 00 72 000 00 72 000 00 72 000 00 00 00 00 00 00 00 00 00 00 00 0	tocc cor cor cor cor cor cor cor	00 00 00 00 00 00 00 00 00 00	Versit 1 0010 06 7b 9a 7c ea 00 00 6c 00 00 6c 00 00 00 2e 00	08 40 01 00 00 00 00 00 00 00 00 00 00 00 00	00 00 00 00 00 00 00 00 00 00 00 00 00	Sr 3036 277 400 16 d1 00d c00 000 75 000 017 175 000 017 107	88 c: Src 06 1f 17 03 76 38 2f 14 00 78 00 00 00 00 00 00 00 00 00 00 00 00 00	bit Po ead 3cb dc 01 76 fb cc 00 6d 00 25 74 00	s), 0.2 rt: 071 93 53 54 00 c1 91 33 16 69 00 01 02 70 00	26 50 50 00 00 00 00 00 00 00 60 60 60 60 60	1 b (1) 5866 676 00 00 00 04 01 04 04 01 04 04 01 04 01 04 01 00 02 32 31 000	yte: 0.0. (50 cl3. 00 cl3. 00 fc cl3. 00 cl3. 0 cl3. cl3. cl3. cl3. cl3. cl3. cl3. cl3.	2-1 1586 00 00 00 00 00 00 00 00 00 00 00 00 00	E) How See States Sta	t: Pos ((0. 1 x m *) Lin	088 1 192.1 193.1 192.1	bits) 124.249.9 143 (443) 143 (443)			

- A. TCP
- B. SSH
- C. HTTP
- D. SSL

Correct Answer: D

QUESTION 2

Where do you navigate in Wireshark to download files?

- A. File > Export text
- B. File > Export Binaries
- C. File > Export Files
- D. File > Export Objects



Correct Answer: D

QUESTION 3

Which of the following are examples of some of the responsibilities of a corporate CSIRT and the policies it helps create? (Select all that apply.)

- A. Scanning vendor customer networks
- B. Incident classification and handling
- C. Information classification and protection
- D. Information dissemination
- E. Record retentions and destruction

Correct Answer: BCD

QUESTION 4

Which compliance framework applies to safeguarding a patient prescription list?

- A. PCI
- B. SOX
- C. HIPAA
- D. COBIT

Correct Answer: C

QUESTION 5

Refer to the exhibit.

```
$ cuckoo submit --machine cuckool /path/to/binary
```

Which event is occurring?

- A. A URL is being evaluated to see if it has a malicious binary.
- B. A binary on device cuckoo1 is being submitted for evaluation.
- C. A binary named "submit" is running on cuckoo1.



D. A binary is being submitted to run on device cuckoo1.

Correct Answer: D

Latest 210-255 Dumps

210-255 VCE Dumps

210-255 Study Guide