



# 250-253<sup>Q&As</sup>

Administration of Veritas Cluster Server 6.0 for Unix

## Pass Symantec 250-253 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/250-253.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Symantec  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





#### QUESTION 1

What happens when a DLP Agent is unable to connect to its preferred Endpoint Server?

- A. If any detection server in the system is running, the agent automatically connects to it after a period of time.
- B. If any Endpoint Server is running, the agent automatically connects to it after a period of time.
- C. If any Endpoint Server is running, and if the agent is configured to recognize it, the agent connects to it after a period of time.
- D. If any detection server is running, and if the agent is configured to recognize it, the agent connects to it after a period of time.

Correct Answer: C

---

#### QUESTION 2

Which type of resources are considered by Veritas Cluster Server when determining whether a service group is online?

- A. OnOnly
- B. OnOff
- C. Persistent
- D. None

Correct Answer: B

---

#### QUESTION 3

Which Network Protect feature is a system administrator unable to configure?

- A. Ability to copy files
- B. Ability to restore files
- C. Location of quarantined files
- D. Content of the file marker

Correct Answer: B

---

#### QUESTION 4

A system administrator examines the results of a completed scan.

Which information is available on a scan listing on the Discover Targets page? (Select three.)



- A. User who initiated the scan
- B. Elapsed time and total time for each scan
- C. Number of items scanned
- D. Number of items changed since the previous scan
- E. File structure and location
- F. Errors encountered

Correct Answer: BCF

---

#### QUESTION 5

During testing, an administrator configures a Network Discover target to identify and quarantine confidential files. The target is set up with a Default credential that has read-only permissions on the file server. After running the scan and checking the results, the administrator finds several incidents from the scan, but observes that all confidential files are still in their original location, and the configured quarantine directory is empty (contains none of the confidential files).

Which two Discover target configuration mistakes might be causing the problem? (Select two.)

- A. The sharelist excludes all directories on the host being scanned.
- B. The Quarantine/Copy Share credentials are invalid.
- C. The Default credentials are invalid.
- D. The Copy option is selected.
- E. The Protect credential is unspecified.

Correct Answer: BE

[250-253 VCE Dumps](#)

[250-253 Practice Test](#)

[250-253 Braindumps](#)