



250-254^{Q&As}

Administration of Symantec Cluster Server 6.1 for UNIX

Pass Symantec 250-254 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/250-254.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Symantec
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

The amount of information logged on all Process resources needs to be increased in order to debug a problem in a VCS cluster. After running the proper commands to accomplish this, which file is modified?

- A. log.cf
- B. debug.cf
- C. main.cf
- D. types.cf

Correct Answer: D

QUESTION 2

A failover service group uses the Process agent to start and stop an application and to monitor a list of processes. After bringing the group to an ONLINE state on a cluster system, you kill the monitored processes. The Enabled and Critical attributes of the resource are both set to a value of 1. The RestartLimit attribute for the resource is still set to the default value. Which action will VCS take?

- A. Increment the TotalFault attribute
- B. Initiate service group failover
- C. Automatically restart the application
- D. Take the service group offline without failover

Correct Answer: B

QUESTION 3


What occurs when an administrator runs the command `hastop -all -force`?

- A. LLT and GAB are brought offline on all cluster nodes.
- B. Applications are brought offline, and the cluster stops.
- C. HAD and hashadow processes are stopped on all cluster nodes.
- D. All applications are forcibly brought offline, but the cluster remains online.

Correct Answer: C

QUESTION 4

Refer to the exhibit.



A two-node cluster has three failover service groups as shown in the exhibit. The websp and appsg service groups are online on sym1 the dbsg service group is online on sym2. All resources are enabled and critical.

Which action does Veritas Cluster Server take when a resource in the appsg service group faults?

- A. The appsg service group enters a faulted state, and the websp service group remains online.
- B. The appsg service group enters a faulted state on sym1, and the dbsg service group is taken offline.
- C. The appsg service group enters a faulted state on sym1 and fails over to sym2.
- D. The appsg service group enters a faulted state on sym1, and the websp service group is taken offline.

Correct Answer: D



QUESTION 5

Which communication configuration files need to be modified on the existing systems, if a new system is added to the cluster? (Choose two.)

- A. /etc/gabtab
- B. /etc/llttab
- C. /etc/gabhosts
- D. /etc/llthosts
- E. /etc/hosts

Correct Answer: AD

[Latest 250-254 Dumps](#)

[250-254 PDF Dumps](#)

[250-254 Study Guide](#)