



299-01^{Q&As}

Riverbed Certified Solutions Professional - Network Performance Management

Pass Riverbed 299-01 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/299-01.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Riverbed
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

What is the purpose of the snmp-server ifindex-persist command in regards to Riverbed Steelhead appliances and Cascade Profiler? (Select 2)

- A. Guarantees that the ifIndex values for various interfaces remain stable across Steelhead appliance reboots and reconfiguration.
- B. Guarantees that the ifIndex values for various interfaces remain stable across network disruptions preventing re-polling
- C. Guarantees that the ifdescription values for various interfaces remain correctly mapped across Steelhead appliance reboots and reconfiguration.
- D. Guarantees that the ifdescription values for various interfaces are remapped across Steelhead appliance service shutdowns.

Correct Answer: AC

QUESTION 2

In Cascade Profiler, which of the following is available as a Dashboard content block? (Select 3)

- A. Top Hosts
- B. Top URLs
- C. Watched Interfaces
- D. Current Events

Correct Answer: ACD

QUESTION 3

What is the relationship between a Host Group and a Host Group Type in Cascade Profiler?

- A. A Host Group Type is a container that may contain multiple Host Groups.
- B. A Host Group Type defines the name of the Host Group.
- C. They are the same thing.
- D. Each Host Group must be defined by the Type of application it serves; this is the Host Group Type.

Correct Answer: A

QUESTION 4



Watches within Cascade Pilot refer to:

- A. Interactive views based upon time control.
- B. A time control window for creating trace clips.
- C. A panel displaying current time in the packet capture (pcap) file under analysis.
- D. A triggering and alerting capability based upon traffic views.
- E. A triggering and alerting capability using an optional fault management add-on for monitoring routers and switches.

Correct Answer: D

QUESTION 5

A packet capture (pcap) file that is loaded into Cascade Pilot for the first time is indexed:

- A. When the file is opened in Cascade Pilot for analysis.
- B. When the file is imported into Cascade Pilot for analysis.
- C. When the first view is applied to the file.
- D. When "Add Trend Index" is selected from a right-click menu within Cascade Pilot.
- E. When the file is copied onto a Cascade Shark appliance.

Correct Answer: D

[Latest 299-01 Dumps](#)

[299-01 PDF Dumps](#)

[299-01 Braindumps](#)