



# 299-01<sup>Q&As</sup>

Riverbed Certified Solutions Professional - Network Performance Management

**Pass Riverbed 299-01 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/299-01.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Riverbed  
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





## QUESTION 1

Refer to the Exhibit.

The screenshot displays the Cascade Profiler configuration interface. It is divided into several sections:

- Hosts / Groups:** This section contains two columns for configuring Host/Group A and Host/Group B. For both, the 'Within' radio button is selected, and the text 'ByInternalHosts:All' is entered in the text box. The 'Role' is set to 'Client' for Host/Group A and 'Server' for Host/Group B. The 'Statistics' are set to 'Track In Aggregate' for both.
- Applications / Ports:** This section also has two columns. For Host/Group A, the 'Within' radio button is selected, and 'application\_X' is entered. For Host/Group B, the 'Within' radio button is selected, and 'portrange\_Y' is entered.
- Reporting Interfaces / Quality of Service (QoS):** This section is expanded, showing 'Interfaces in Network Path' and 'Threshold' settings. The 'Threshold' section has 'Trigger' set to 'Above 8 bits per min.', 'Direction' set to 'From A to B', and 'Duration' set to '0 hours 1 minutes'.

For a user defined host policy on Cascade Profiler, what would trigger this policy to generate an alert?

- A. Any traffic using application "X" or port range "Y"
- B. Any internal-only traffic using application "X" or port range "Y"
- C. Any internal-only traffic using application "X" and port range "Y"
- D. Any traffic between internal and external hosts using application "X" or port range "Y"
- E. Any traffic between internal and external hosts using application "X" and port range "Y"
- F. Any traffic from internal clients to external servers using application "X" or port range "Y"
- G. Any traffic from internal clients to external servers using application "X" and port range "Y"

Correct Answer: G

## QUESTION 2

Which version of SNMP is supported for Switch Port Discovery on Cascade Profiler?



- A. SNMPv1 Only
- B. SNMPv2 Only
- C. SNMPv1 and SNMPv2
- D. SNMPv1 and SNMPv3

Correct Answer: C

---

### QUESTION 3

Which of the following statements are true (select 2)

- A. SNMP based technology can query a network device for statistics such as number of packets and bytes sent out an interface but typically doesn't have conversation-level details (such as which IP Addresses were talking at a given time)
- B. NetFlow based technology can query a network device for statistics such as number of packets and bytes sent out an interface but typically doesn't have conversation-level details (such as which IP Addresses were talking at a given time)
- C. NetFlow based technology does NOT typically include response time information, packet inspection is necessary to measure response times
- D. It is NOT possible to understand which conversations traversed a link without full packet capture
- E. SNMP based technology querying routers in the network can be used to view end to end conversations across a network to determine top talkers

Correct Answer: AC

---

### QUESTION 4

On Cascade Profiler, in terms of retention of completed reports and reporting sources (one minute flow and rollup files), which of the following is true? (Select 4)

- A. One minute flow records are deleted from the file system FIFO (oldest first) once the appliance has filled the space that is allocated.
- B. There is a fixed amount of space on the filesystem for completed reports.
- C. A report template can be marked "keep until I delete it" so that any reports that are scheduled with this template are not automatically deleted from the filesystem.
- D. When the flows or rollup records have been deleted from the filesystem, any saved report that was generated from those flow sources is no longer available.
- E. Users have the ability to allocate additional space to the 1 min flow logs in order to increase retention. This is done at the expense of other rollup resolutions.

Correct Answer: ABCE

---



### QUESTION 5

A strip chart within Cascade Pilot shows data points:

- A. According to the Cascade Pilot time zone.
- B. According to the time zone of the Cascade Shark to which you are connected.
- C. According to Cascade Pilot time zone or optionally, to the Cascade Shark time zone as well.
- D. According to UTC.

Correct Answer: A

[Latest 299-01 Dumps](#)

[299-01 PDF Dumps](#)

[299-01 VCE Dumps](#)