



2V0-21.23^{Q&As}

VMware vSphere 8.x Professional

Pass VMware 2V0-21.23 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/2v0-21-23.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

An administrator is NOT able to enable ESXi secure boot.

What is a possible cause of this issue? (Choose the best answer.)


- A. The vCenter Server version is 7.0.
- B. ESXi is using Trusted Platform Module version 1.2.
- C. The ESXi version is 7.0
- D. ESXi is using Unified Extensible Firmware Interface (UEFI).

Correct Answer: C

Reference: <https://docs.vmware.com/en/VMware-vSphere/6.7/com.vmware.vsphere.security.doc/GUID-5D5EE0D1-2596-43D7-95C8-0B29733191D9.html>

QUESTION 2

Refer to the exhibit.



Which element is missing from this vCenter High Availability (HA) cluster? (Choose the best answer.)

- A. A secondary witness node
- B. The management interface on the passive node



- C. The connection between the active and passive nodes
- D. The management interface and connection on the witness node

Correct Answer: C

Reference: <https://nolabnparty.com/en/vmware-vcenter-high-availability-setup-pt-1/>

QUESTION 3

An administrator is trying to configure vCenter Single Sign-On from the vSphere Client but does NOT have permission.

Which role is required in order to configure vCenter Single Sign-On? (Choose the best answer.)

- A. vCenter Single Sign-On Administrator
- B. vCenter Administrator
- C. vCenter Server Appliance Root
- D. vCenter Power User

Correct Answer: A

Reference:

<https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.psc.doc/GUID-75D4E587-3F9B-4B50-96DA-D6DB6D1781D7.html>

QUESTION 4

An administrator wants to configure vCenter Server High Availability so that each node is located in a different data center. Which requirement must be met? (Choose the best answer.)

- A. Each node must be configured with at least three network adapters.
- B. Network latency between the nodes must be less than 10 milliseconds.
- C. All nodes must be located on a vSAN datastore in each data center.
- D. A vCenter Server license must be assigned to each node.

Correct Answer: B

QUESTION 5

An IT department is experiencing random hardware failures that are costing the company money. The CIO is looking for technical support beyond traditional break/fix with enhanced visibility and proactive insights into the environment at no additional cost.

Which VMware service meets the needs of the CIO? (Choose the best answer.)



- A. VMware Global Support Services
- B. VMware Premier Support
- C. VMware Skyline
- D. vRealize Operations Manager

Correct Answer: C

Reference:

https://www.vmware.com/content/dam/digitalmarketing/vmware/en/pdf/support/vmware_skyline_solution_overview.pdf

[Latest 2V0-21.23 Dumps](#)

[2V0-21.23 PDF Dumps](#)

[2V0-21.23 VCE Dumps](#)