



# 2V0-31.19<sup>Q&As</sup>

Professional VMware vRealize Automation 7.6

## Pass VMware 2V0-31.19 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/2v0-31-19.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by VMware  
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





### QUESTION 1

Users are not able to login after installation of vRealize Automation (vRA) is complete.

What is a possible cause of this issue?

- A. An approval policy is not activated.
- B. Users belong to a different business group.
- C. Time servers on all vRA servers are not synchronized.
- D. Users are not entitled to a catalog item.

Correct Answer: C

---

### QUESTION 2

vRealize Suite Lifecycle Manager uses MyVMware credentials to discover and download which two items? (Choose two.)

- A. vRealize Automation IaaS Windows server OS installation ISOs
- B. vRealize Automation product installation binaries
- C. vRealize Automation product license keys
- D. vRealize Automation product SSL certificates
- E. vRealize Automation product installation configuration files

Correct Answer: BD

---

### QUESTION 3

Which two methods can be used to ensure users enter a valid value in custom forms? (Choose two.)

- A. Use constraints with pre-defined values in the form.
- B. Use an image field in the form.
- C. Use an external validation (such as with vRealize Orchestrator) in the form.
- D. Use a text field in the form.
- E. Use a bind variable in the form.

Correct Answer: AC

Reference: <https://docs.vmware.com/en/vRealize-Automation/7.4/com.vmware.vra.prepare.use.doc/GUIDEC796A7F-545E-46CF-B560-2B4B7F00552A.html>



#### QUESTION 4

An architect is designing a machine blueprint containing web, application and database servers utilizing NSX-T for networking. Upon provisioning, network traffic must be automatically restricted to allow the web server to communicate only with the application server, the application server to communicate with both the web and database servers, and the database server to be blocked from communicating with the other servers.

Which methods can be used to accomplish this?

- A. Add an appropriate security group to the blueprint from within the Blueprint Properties, under NSX Settings.
- B. Specify an appropriate NSX-T Existing Network and Security (NS) Group in the blueprint and assign it to each machine.
- C. Create or update an appropriate security group within NSX-T to include the provisioned machines.
- D. Assign an appropriate security group to the entitled items or entitled service with the entitlement.

Correct Answer: C

---

#### QUESTION 5

Which two steps must an administrator take to create an approval policy through two levels of management when expanding the resources of a virtual machine beyond a specific footprint? (Choose two.)

- A. Attach the approval policy to the specific day 2 actions: increase RAM, add CPUs and add Disk storage.
- B. Create a two layer approval policy.
- C. Configure the approval policy to re-provision the virtual machine based on a larger blueprint if approval is granted at all levels.
- D. Attach a multiple layer approval policy to the service to which the blueprint is attached.
- E. Set up a conditional approval policy.

Correct Answer: CE

[2V0-31.19 PDF Dumps](#)

[2V0-31.19 Practice Test](#)

[2V0-31.19 Braindumps](#)