



2V0-41.19^{Q&As}

VMware Professional NSX-T Data Center 2.4

Pass VMware 2V0-41.19 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/2v0-41-19.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

An NSX administrator is reviewing syslog and notices that Distributed Firewall Rules hit counts are not being logged.

What could cause this issue?

- A. Syslog Is not configured on the NSX Manager
- B. Distributed Firewall Rule Logging is not enabled
- C. Zero Trust Security Is not enabled
- D. Syslog is not configured on the ESXI transport node

Correct Answer: D

QUESTION 2

Which TraceFlow traffic type should an NSX administrator use for validating connectivity between App and DB virtual machines that reside on different segments?

- A. Multicast
- B. Anycast
- C. Broadcast
- D. Unicast

Correct Answer: C

Reference: <https://images.nsx.techzone.vmware.com/sites/default/files/NSX-T%20Reference%20Design%20Guide%20Version%202.0.pdf>

QUESTION 3

Which NSX CLI command will enable the SSH service on the NSX Edge node?

- A. set service ssh enabled
- B. start service ssh
- C. start service ssh start-on-boot
- D. set service ssh start-on-boot enabled

Correct Answer: D

Reference: <https://vdc-download.vmware.com/vmwb-repository/dcr-public/c3fd9cef-6b2b-4772-93be3fe60ce064a1/1f67>



b9e1-b111-4de7-9ea1-39931d28f560/NSX-T%20Command-Line%20Interface%20Reference.html

QUESTION 4

Which NSX CLI command is used to check the GENEVE tunnel status on ESXi transport node?

- A. get host-switch tunnels
- B. get host-switch tunnel status
- C. get transport-node tunnel state
- D. get transport-node tunnel status

Correct Answer: A

QUESTION 5

The NSX Control Plane is responsible for which two functions? (Choose two.)

- A. push stateless configurations to forwarding engines
- B. propagate topology information
- C. receive and validate configuration from NSX Policy
- D. host API services
- E. maintain packet-level statistics

Correct Answer: AD

[Latest 2V0-41.19 Dumps](#)

[2V0-41.19 VCE Dumps](#)

[2V0-41.19 Braindumps](#)