



# 2V0-41.19<sup>Q&As</sup>

VMware Professional NSX-T Data Center 2.4

## Pass VMware 2V0-41.19 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/2v0-41-19.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by VMware  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

Which CLI command is used to restart the Syslog service on a KVM transport node?


- A. service.sh stop | start syslog
- B. systemctl restart syslog
- C. systemctl restart rsyslog
- D. yum restart syslog

Correct Answer: C

---

### QUESTION 2

Refer to the exhibit.



A vSphere administrator is trying to connect T1-Web-01 virtual machine to a NSX-T logical switch and is receiving an error.

Which service must be restarted to connect the virtual machine to a NSX-T logical switch?

- A. /etc/init.d/nsx-opsagent start
- B. /etc/init.d/nsx-proxy start
- C. /etc/init.d/nsxa start
- D. /etc/init.d/nsx-datapath start

Correct Answer: A

---

### QUESTION 3



Which TraceFlow traffic type should an NSX administrator use for validating connectivity between App and DB virtual machines that reside on different segments?

- A. Multicast
- B. Anycast
- C. Broadcast
- D. Unicast

Correct Answer: C

Reference: <https://images.nsx.techzone.vmware.com/sites/default/files/NSX-T%20Reference%20Design%20Guide%20Version%202.0.pdf>

#### QUESTION 4

Refer to the exhibit.

Host transport nodes   Edge transport nodes   Edge Clusters   ESXi Bridge Clusters									
CONFIGURE NSX		REMOVE NSX		ACTIONS		View All			
Node	ID	IP Addresses	OS Type	NSX Configuration	Configuration State	Node Status	Transport Zones	NSX Version	N-VDS
SA Management...	MoRef ID: ...								
SA Compute-01...	MoRef ID: ...			ESXi-Cluster...					
sa-esxi-04.vclass.local	1173..t-88	172.20.10.54, 172.20.11.203...	ESXi 6.7.0	Not Configured		Not Configured			0
sa-esxi-05.vclass.local	1173..-112	172.20.10.55, 172.20.11.201...	ESXi 6.7.0	Not Configured		Not Configured			0

The Node Status for all hosts in the SA-Compute-01 cluster is shown as Not Configured. There are no VM connectivity issues reported on any of the ESXi transport nodes. Which service must be restarted to fix the issue?

- A. nsx-mpa service on the ESXi transport nodes
- B. nsx-policy-manager service on NSX Manager
- C. nsx-mpa-api service on NSX Manager
- D. cm-inventory service on NSX Manager

Correct Answer: D

#### QUESTION 5

Which two statements describe the characteristics of the Services Router (SR) component of a Tier-0 Gateway? (Choose two.)



- A. Edge cluster is mandatory for SR to be created.
- B. SR can exist on both hypervisor transport nodes and Edge transport nodes.
- C. SR is automatically created when stateful services are enabled.
- D. Edge transport nodes are required for SR to be created.
- E. SR can be created from the NSX Advanced Networking and Security tab in the UI.

Correct Answer: AE

[2V0-41.19 PDF Dumps](#)

[2V0-41.19 VCE Dumps](#)

[2V0-41.19 Braindumps](#)