



2V0-41.20^{Q&As}

Professional VMware NSX-T Data Center

Pass VMware 2V0-41.20 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/2v0-41-20.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which two BGP configuration parameters can be configured in the VRF Lite gateways? (Choose two.)

- A. Route Aggregation
- B. Route Distribution
- C. Graceful Restart
- D. BGP Neighbors
- E. Local AS

Correct Answer: AD

The following parameters are inherited from the default Tier-0 gateway and cannot be modified at the VRF level:

1.

Local AS

2.

Graceful restart

3.

Graceful restart timer

4.

Graceful restart stale timer

5.

Multipath relax

Inter-SR iBGP is not supported in VRF gateways.

BGP can be enabled or disabled per VRF gateway.

Route aggregation and BGP neighbors are local configurations per VRF.

QUESTION 2

How many IPs are required when deploying a highly available NSX Management Cluster with VIP in a production environment?

- A. 5
- B. 6



C. 3

D. 4

Correct Answer: D

QUESTION 3

A company is deploying a NSX-T Data Center micro-segmentation in their vSphere environment to secure a simple application composed of web, app, and database tiers.

The naming convention will be:

1.

WKS-WEB-SRV-XXX

2.

WKY-APP-SRR-XXX

3.

WKI-DB-SRR-XXX

What is the optimal way to group them in order to enforce security policies from NSX-T Data Center?

A. Create an Ethernet based security policy.

B. Group all by means of tags membership.

C. Use Edge as a firewall between tiers.

D. Do a service insertion to accomplish the task.

Correct Answer: B

QUESTION 4

How does Traceflow tool identify issues in a network?

A. Compares intended network state in the control plane with Tunnel End Point (TEP) keepalives in the data plane.

B. Compares the management plane configuration states containing control plane traffic and error reporting from transport node agents.

C. Injects synthetic traffic into the data plane and observes the results in the control plane.

D. Injects ICMP traffic into the data plane and observes the results in the control plane.

Correct Answer: C



QUESTION 5

Which CLI command would an administrator use to allow syslog on an ESXi transport node when using the esxcli utility?

- A. esxcli network firewall ruleset -e syslog
- B. esxcli network firewall ruleset set -a -e false
- C. esxcli network firewall ruleset set -r syslog -e true
- D. esxcli network firewall ruleset set -r sysloq -e false

Correct Answer: C

https://docs.vmware.com/en/VMware-NSX-T-Data-Center/2.2/nsxt_22_troubleshoot.pdf

[Latest 2V0-41.20 Dumps](#)

[2V0-41.20 VCE Dumps](#)

[2V0-41.20 Study Guide](#)