



2V0-602^{Q&As}

VMware vSphere 6.5 Foundations

Pass VMware 2V0-602 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/2v0-602.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

Which two SCSI Bus Sharing modes are supported for a virtual SCSI adapter in vSphere 6.5? (Choose two.)

- A. Shared
- B. Dedicated
- C. Physical
- D. Virtual

Correct Answer: CD

QUESTION 2

Which two parameters are required when adding an iSCSI target to an iSCSI Software Adapter using Dynamic Discovery? (Choose two.)

- A. The iSCSI device's IP Address or Fully Qualified Domain Name
- B. The Port Number
- C. The iSCSI device's iSCSI Qualified Name (IQN)
- D. The Default Gateway IP Address

Correct Answer: AB

QUESTION 3

Which Single Sign-On deployment mode should an administrator use for two 6.x vCenter Servers configured with linked mode?

- A. Basic Single Sign-On with vCenter Server Heartbeat
- B. Multisite Single Sign-On
- C. Basic Single Sign-On
- D. Single Sign-On with Linked Mode

Correct Answer: B

QUESTION 4

Which two options can be monitored when creating a new Alarm Definition? (Choose two.)

- A. specific actions of a user



- B. other alarms defined for the object
- C. specific conditions or state
- D. specific event occurring on the object

Correct Answer: CD

QUESTION 5

The error message below displays in the Summary tab for a host, even though there are two available uplinks for the vSwitch hosting the VMkernel Port Management Network, providing redundancy: Host currently has no management network redundancy Which three methods can be used after confirming the correct network configuration? (Choose three.)

- A. Set the vSphere HA advanced option das.ignoreRedundantNetWarning to true and reconfigure VMware HA on that host.
- B. Disable and then re-enable HA.
- C. Restart the management agents from the DCUI.
- D. Add a third vmnic to the management network on a vSwitch configured with NIC teaming.
- E. Right-click the host and click Reconfigure HA.

Correct Answer: ABE

[Latest 2V0-602 Dumps](#)

[2V0-602 Practice Test](#)

[2V0-602 Study Guide](#)