



2V0-641^{Q&As}

VMware Certified Professional 6 – Network Virtualization Beta

Pass VMware 2V0-641 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/2v0-641.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware
Official Exam Center


- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

-- Exhibit -



-- Exhibit -

An administrator is testing connectivity between two ESXi hosts and uses the ping utility, as shown in the Exhibit.

Based on the results shown in the exhibit, which statement is correct?

- A. Communication between the hosts is working correctly.
- B. The hosts are in separate subnets.
- C. The MTU size is too small.
- D. A logical router has not been deployed and configured.

Correct Answer: C

QUESTION 2

Which Virtual Machine cannot be protected by the Distributed Firewall?



- A. A Virtual Machine connected to a vDS Portgroup running on an ESXi 5.1 host.
- B. A Virtual Machine connected to a vSS Portgroup running on an ESXi 5.5 host.
- C. A Virtual Machine connected to a vDS Portgroup running on an ESXi 5.5 host.
- D. A Virtual Machine connected to a logical switch running on an ESXi 5.1 host.

Correct Answer: D

QUESTION 3

Which VMware NSX for vSphere component can be created on-demand using vRealize Automation?

- A. The logical switch
- B. The logical distributed router
- C. The distributed firewall
- D. The NSX Edge Services Gateway

Correct Answer: A

QUESTION 4

A vSphere administrator deploys the NSX Edge Load Balancer in Inline mode. Which is not a requirement for the Load Balancer to operate correctly?

- A. Perform Source NAT on the traffic from the clients.
- B. Connect the Load Balancer directly to the same subnet as the VMs that are part of the Server Pool.
- C. Perform Destination NAT on the traffic from the clients.
- D. Point the virtual machines in the Server Pool to the Load Balancer as their default gateway.

Correct Answer: A

QUESTION 5

Which tool is used to display VXLAN connection information?

- A. pktcap-uw
- B. NSX Controller CLI
- C. esxtop
- D. VDS Health Check



Correct Answer: B

[2V0-641 VCE Dumps](#)

[2V0-641 Practice Test](#)

[2V0-641 Study Guide](#)