



2V0-641^{Q&As}

VMware Certified Professional 6 – Network Virtualization Beta

Pass VMware 2V0-641 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/2v0-641.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

An administrator configures the IPSec VPN service on an NSX Edge instance, but the negotiation fails.

Examining the log file, the administrator notices the following message.

INVALID_ID_INFORMATION

Which misconfiguration caused the error?

- A. Pre-shared key (PSK) does not match.
- B. Diffie-Hellman (DH) Group does not match.
- C. Perfect Forward Secrecy (PFS) does not match.
- D. VPN tunnel address is incorrect.

Correct Answer: A

QUESTION 2

If a Security Group is the Source for a General Logical Firewall Rule, which Virtual Machines will be affected by the rule?

- A. Each Virtual Machine defined in the Security Group.
- B. Each Virtual Machine defined in the Source and Destination fields of the Logical Firewall Rule.
- C. Each Virtual Machine identified in the Applied To field of the Logical Firewall Rule.
- D. Each Virtual Machine identified in the Destination field of the Logical Firewall Rule.

Correct Answer: C

QUESTION 3

High Availability (HA) was not initially configured when an administrator deployed an NSX Edge Service Gateway. What should the administrator do to configure the NSX Edge with HA?

- A. Select the NSX Edge instance from the NSX Edges view in Networking and Security. Go to Manage> Settings> Configuration and add a NSX Edge appliance.
- B. Delete the NSX Edge instance and redeploy it with HA. The existing NSX Edge configuration data will be lost.
- C. Delete the NSX Edge instance and redeploy it with HA. The configuration data is retained by NSX Manager and pushed to the new NSX Edge instance.
- D. Select the NSX Edge appliance from the Virtual Machines and Templates view. Go to Actions> All vCenter Actions> Enable HA to configure High Availability.



Correct Answer: A

QUESTION 4

A new ESXi 5.5 host is deployed in a vSphere environment with VMware NSX for vSphere. How can the host be prepared for VMware NSX for vSphere?

- A. By using Image Builder to pre-load the NSX for vSphere VIBs in the ESXi image in an Auto Deploy solution.
- B. By leveraging VMware Update Manager to install the new NSX for vSphere VIBs into each of the hosts.
- C. By creating a new VMkernel port in the host from the Host and Clusters inventory view in vSphere Web Client.
- D. By entering the ESXi 5.5 management IP address in the NSX Controllers so the VIBs can be installed.

Correct Answer: A

QUESTION 5

A vSphere administrator wants to setup an NSX Edge Service Gateway to provide traveling employees secure access to company servers located in specific network segments within the corporate Data Center. The remote access solution must provide a method to authenticate the users.

Which two methods can be used with the NSX Edge Service Gateway? (Choose two.)

- A. TACACS+
- B. MS-CHAP
- C. RSA Secure ID
- D. Active Directory

Correct Answer: CD

[2V0-641 Practice Test](#)

[2V0-641 Exam Questions](#)

[2V0-641 Braindumps](#)