



2V0-71.21^{Q&As}

Professional VMware Application Modernization

Pass VMware 2V0-71.21 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/2v0-71-21.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

Which log file can be used for troubleshooting when there is a problem with Workload Control Plane (WCP) deployment?

- A. wcpsvc.log
- B. websso.log
- C. vpxd.log
- D. sps.log

Correct Answer: A

QUESTION 2

Refer to the exhibit.

```
apiVersion: storage.k8s.io/v1
kind: StorageClass
metadata:
  name: standard
provisioner: kubernetes.io/aws-ebs
parameters:
  type: gp2
reclaimPolicy: Retain
allowVolumeExpansion: true
mountOptions:
  - debug
volumeBindingMode: Immediate
```

In the following StorageClass manifest, which field is used to specify the Volume Plugin driver used for underlying storage array?

- A. type
- B. name
- C. parameters
- D. provisioner

Correct Answer: D



QUESTION 3

Which method is supported to change Kubernetes version for Tanzu Kubernetes clusters on VMware vSphere with Tanzu?

- A. Upgrade by incremental Kubernetes version e.g. 1.17 to 1.18
- B. Change the major version, e.g. from v1.18 to v2.0
- C. Decrease Kubernetes version e.g. 1.18 to 1.17
- D. Upgrade by skipping Kubernetes version e.g. 1.16 to 1.18

Correct Answer: A

QUESTION 4

A Tanzu Mission Control administrator would like to enforce the following container controls:

Require Digest.

Name-Tag Allowlist.

To which type of policies do these controls belong to?

- A. Security
- B. Registry
- C. Access
- D. Network

Correct Answer: B

QUESTION 5

Which step must be taken to enable Kubernetes auditing on a Tanzu Kubernetes cluster?

- A. Set the ENABLE_AUDIT_LOGGING variable to 'true' before deploying the cluster
- B. Run `systemctl start auditd` and `systemctl enable auditd` on master node
- C. Audit is enabled by default on every Tanzu cluster
- D. Edit `/etc/kubernetes/audit-policy.yaml` and set `ENABLE_AUDIT` variable to '1' on master node

Correct Answer: A
