



2V0-72.22^{Q&As}

Professional Develop VMware Spring

Pass VMware 2V0-72.22 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/2v0-72-22.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which two statements are correct regarding Spring Boot auto-configuration? (Choose two.)

- A. Auto-configuration uses `@Conditional` annotations to constrain when it should apply.
- B. Auto-configuration could apply when a bean is missing but not when a bean is present.
- C. Auto-configuration is applied by processing candidates listed in `META-INF/spring.factories`.
- D. Auto-configuration could apply when a bean is present but not when a bean is missing.
- E. Auto-configuration is applied before user-defined beans have been registered.

Correct Answer: DE

QUESTION 2

Which two statements are true regarding Spring and Spring Boot Testing? (Choose two.)

- A. EasyMock is supported out of the box.
- B. `@SpringBootTest` or `@SpringJUnit4Config` can be used for creating an `ApplicationContext`.
- C. Mockito spy is not supported in Spring Boot testing by default.
- D. The `spring-test` dependency provides annotations such as `@Mock` and `@MockBean`.
- E. Integration and slice testing are both supported.

Correct Answer: CD

Reference: <https://docs.spring.io/spring-boot/docs/2.1.5.RELEASE/reference/html/boot-featurestesting.html>

QUESTION 3

Given an `ApplicationContext` containing three bean definitions of type `Foo` with bean ids `foo1`, `foo2`, and `foo3`, which three `@Autowired` scenarios are valid and will allow the `ApplicationContext` to initialize successfully? (Choose three.)

- A. `@Autowired public void setFoo (Foo foo) {...}`
- B. `@Autowired @Qualifier ("foo3") Foo foo;`
- C. `@Autowired public void setFoo (@Qualifier ("foo1") Foo foo) {...}`
- D. `@Autowired private Foo foo;`
- E. `@Autowired private Foo foo2;`
- F. `@Autowired public void setFoo(Foo foo2) {...}`



Correct Answer: ADF

QUESTION 4

Which two options are valid optional attributes for Spring's @Transactional annotation? (Choose two.)

- A. isolation
- B. writeOnly
- C. nestedTransaction
- D. readWrite
- E. propagation

Correct Answer: AE

Reference: <https://learningviacode.blogspot.com/2012/10/attributes-in-springs-declarative.html>

QUESTION 5

Which three types of objects can be returned from a JdbcTemplate query? (Choose three.)

- A. Generic MapS
- B. Simple types (int, long, String, etc)
- C. JSONObject
- D. User defined types
- E. Properties
- F. XMLObject

Correct Answer: BDE

[Latest 2V0-72.22 Dumps](#)

[2V0-72.22 Study Guide](#)

[2V0-72.22 Exam Questions](#)