300-075^{Q&As}

300-075^{Q&As}

Implementing Cisco IP Telephony and Video

Pass Cisco 300-075 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/300-075.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

SATISFACTION GUARANTEED
100%
SATISFACTION GUARANTEED

QUESTION 1

Which configuration does Cisco recommend for the peer address on the Expressway-C secure traversal zone when the Expressway-E has one NIC enabled?

A. Expressway-E internal IP address

B. Expressway-E external IP address

C. Expressway-E internal FQDN

D. Expressway-E external FQDN

Correct Answer: D

QUESTION 2

For which two reasons should you mark AF41 as the audio and video channels of a video call? (Choose two.)

A. to allow high-definition quality calls over low-speed links

B. to give video calls a higher priority than AF41 in the QoS policy

C. to provide separate classes for audio-only calls and video calls

D. to prioritize video over other high-priority traffic classes

E. to preserve lip synchronization between the audio and video channels

Correct Answer: DE

QUESTION 3

Which option is a benefit of implementing CFUR?

A. CFUR is designed to initiate TEHO to reduce toll charges.

B. CFUR can prevent phones from unregistering.

C. CFUR can reroute calls placed to a temporarily unregistered destination phone.

D. CFUR eliminates the need for COR on an ISR.

Correct Answer: C

QUESTION 4

Your company\'s main number is 408-526-7209, and your employee\'s directory numbers are 4-digit numbers. Which option should be configured in CUCM if you want outgoing calls from 4-digit internal directory number to be presented

as a 10-digit number?

A. IOS translation rules

B. calling party transformation in Route Pattern

C. route pattern filed in Route Pattern

D. AAR group

Correct Answer: B

QUESTION 5

Refer to the exhibit.

When the Cisco Unified Communications Manager advertises the Hosted DN Pattern, which pattern would be advertised?

A. 2XXX and the T0D1D will be 0:+498950555

B. 2XXX and the ToDID will be 0:+4989531 21

C. 4989S05552XXX and the ToDiD will be 0:

D. + 4989631 21 2XXX and the ToDiD will be 0:

E. Both +4989505552XXXand +4989531 21 2XXX will be advertised with ToDID of 0:

Correct Answer: A

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications.
You can view Vendor list of All Certification Exams offered:

https://www.passapply.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket: