



# 300-175<sup>Q&As</sup>

Cisco Data Center Unified Computing

## Pass Cisco 300-175 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/300-175.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Which two statements describe the full state type of backup? (Choose two.)

- A. It is a binary file.
- B. It cannot be used to restore the system during disaster recovery.
- C. It can use this file for an import.
- D. It can be used only on a system that is running the same version as the system from which the backup file was exported.
- E. It is an XML file.

Correct Answer: AD

---

### QUESTION 2

Which Two Methods does Cisco UCS Manager use to create a fabric port channel? (Chose Two)

- A. By using the chassis connectivity policy settings for a specific chassis after chassis discovery
- B. By using the LAN connectivity policy settings during chassis discovery
- C. By using the SAN policy settings during chassis discovery
- D. By using the global chassis discovery policy settings
- E. By using the lan connectivity policy settings for a specific interface after chassis discovery

Correct Answer: AD

Fabric port channels allow you to group several of the physical links from an IOM to a fabric interconnect into one logical link for redundancy and bandwidth sharing. As long as one link in the fabric port channel remains active, the fabric port channel continues to operate.

If the correct hardware is connected, fabric port channels are created by Cisco UCS Manager in the following ways:

During chassis discovery according to the settings configured in the chassis discovery policy.

After chassis discovery according to the settings configured in the chassis connectivity policy for a specific chassis.

[https://www.cisco.com/c/en/us/td/docs/unified\\_computing/ucs/sw/gui/config/guide/2-0/b\\_UCSM\\_GUI\\_Configuration\\_Guide\\_2\\_0/](https://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/sw/gui/config/guide/2-0/b_UCSM_GUI_Configuration_Guide_2_0/)

[b\\_UCSM\\_GUI\\_Configuration\\_Guide\\_2\\_0\\_chapter\\_0101.html#concept\\_5D3D88341BFB43468B62B5A77876C67B](https://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/sw/gui/config/guide/2-0/b_UCSM_GUI_Configuration_Guide_2_0/b_UCSM_GUI_Configuration_Guide_2_0_chapter_0101.html#concept_5D3D88341BFB43468B62B5A77876C67B)

---

### QUESTION 3



Which of the following supports more than two component-resident versions of firmware?

- A. mezzanine adapters
- B. I/O modules
- C. Cisco UCS fabric interconnects
- D. CIMCs


Correct Answer: C

<https://www.cisco.com/c/en/us/support/docs/servers-unified-computing/ucs-manager/110511-ucs-fw-mgmt-00.html>

[https://www.cisco.com/c/en/us/td/docs/unified\\_computing/ucs/ucs-manager/GUI-User-Guides/Firmware-Mgmt/3-1/b\\_UCSM\\_GUI\\_Firmware\\_Management\\_Guide\\_3\\_1/](https://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/ucs-manager/GUI-User-Guides/Firmware-Mgmt/3-1/b_UCSM_GUI_Firmware_Management_Guide_3_1/)

[b\\_UCSM\\_GUI\\_Firmware\\_Management\\_Guide\\_3\\_1\\_chapter\\_011.html#task\\_C8E850B883D741BFBEF0FBBA409C6CB7](https://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/ucs-manager/GUI-User-Guides/Firmware-Mgmt/3-1/b_UCSM_GUI_Firmware_Management_Guide_3_1_chapter_011.html#task_C8E850B883D741BFBEF0FBBA409C6CB7)

The Fabric Interconnects are the only components that can store more than two versions.



#### QUESTION 4

After an admin configures a service profile template and associates it to the blade, the admin notices that changes to the template are not automatically pushed to profiles that are inheriting that template. The service profile template and vNIC

templates are set to "initial".

Which two actions resolve this issue? (Choose two.)



- A. Delete the service profile template and re-create it as an updating template.
- B. Change the type of the service profile template from "initial" to "updating".
- C. Delete the vNIC template and re-create it as an updating template.
- D. Change the type of the vNIC template from "initial" to "updating".
- E. Delete and recreate all templates.

Correct Answer: AD

---

#### QUESTION 5

Which Cisco UCS Manager feature allows you to specify multiple LDAP servers for user authentication?

- A. Realm
- B. LDAP Provider Group
- C. Authentication Domain
- D. Organization

Correct Answer: B

[300-175 VCE Dumps](#)

[300-175 Practice Test](#)

[300-175 Study Guide](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

## Try our product !

- 100% Guaranteed Success
- 100% Money Back Guarantee
- 365 Days Free Update
- Instant Download After Purchase
- 24x7 Customer Support
- Average 99.9% Success Rate
- More than 800,000 Satisfied Customers Worldwide
- Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.passapply.com/allproducts>

## Need Help

Please provide as much detail as possible so we can best assist you.  
To update a previously submitted ticket:



 <p><b>One Year Free Update</b> Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p><b>Money Back Guarantee</b> To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p><b>Security &amp; Privacy</b> We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information &amp; peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.  
All trademarks are the property of their respective owners.  
Copyright © passapply, All Rights Reserved.