



300-206^{Q&As}

Implementing Cisco Edge Network Security Solutions

Pass Cisco 300-206 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/300-206.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which two option are protocol and tools are used by management plane when using cisco ASA general management plane hardening ?

- A. Unicast Reverse Path Forwarding
- B. NetFlow
- C. Routing Protocol Authentication
- D. Threat detection
- E. Syslog
- F. ICMP unreachablees
- G. Cisco URL Filtering

Correct Answer: BE

<http://www.cisco.com/web/about/security/intelligence/firewall-best-practices.html>

QUESTION 2

Which statement describes what the arp outside 1.1.1.1 0192.7gid.0020 command accomplishes?

- A. enable ARP inspection for host 1.1.1.1
- B. configures proxy ARP for host 1.1.1.1
- C. assigns virtual MAC address for host 1.1.1.1
- D. creates static ARP entry for host 1.1.1.1

Correct Answer: D

QUESTION 3

What is the primary purpose of stateful pattern recognition in Cisco IPS networks?

- A. mitigating man-in-the-middle attacks
- B. using multipacket inspection across all protocols to identify vulnerability-based attacks and to thwart attacks that hide within a data stream
- C. detecting and preventing MAC address spoofing in switched environments
- D. identifying Layer 2 ARP attacks

Correct Answer: B



QUESTION 4

When configuring packet-tracer command from CLI, what is the first option that you set?

- A. source IP address
- B. destination IP address
- C. interface
- D. protocol (ip, tcp, udp)

Correct Answer: C

QUESTION 5

Refer to the exhibit:

```
access-list 20 permit ip any host 192.168.1.5 capture CAPT-X type asp-drop acl-drop access-list 20
```

Capture does not get applied and we get an error about mixed policy. Choose two reason why this is the case.

- A. Ipv6 is enabled on the firewall
- B. The any key in the access-list should be stated as IPv4 (kind of like any4)
- C. Syntax of access-list command is wrong.
- D. Syntax if capture command is wrong.

Correct Answer: AB

The captures after version 9.0(1) does not support the use of the ANY as it will match both IPv4 and IPv6 at the same time and that is not supported yet.

[Latest 300-206 Dumps](#)

[300-206 Exam Questions](#)

[300-206 Braindumps](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.passapply.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.
All trademarks are the property of their respective owners.
Copyright © passapply, All Rights Reserved.