



300-207^{Q&As}

Implementing Cisco Threat Control Solutions

Pass Cisco 300-207 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/300-207.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which Cisco IPS CLI command shows the most fired signature?

- A. show statistics virtual-sensor
- B. show event alert
- C. show alert
- D. show version

Correct Answer: A

QUESTION 2

What step is required to enable HTTPS Proxy on the Cisco Web Security Appliance?

- A. Web Security Manager HTTPS Proxy click Enable
- B. Security Services HTTPS Proxy click Enable
- C. HTTPS Proxy is enabled by default
- D. System Administration HTTPS Proxy click Enable

Correct Answer: B

QUESTION 3

Which IPS feature allows you to aggregate multiple IPS links over a single port channel?

- A. UDLD
- B. ECLB
- C. LACP
- D. PAgP

Correct Answer: B

QUESTION 4

Which three sender reputation ranges identify the default behavior of the Cisco Email Security Appliance? (Choose three.)

- A. If it is between -1 and +10, the email is accepted



- B. If it is between +1 and +10, the email is accepted
- C. If it is between -3 and -1, the email is accepted and additional emails from the sender are throttled
- D. If it is between -3 and +1, the email is accepted and additional emails from the sender are throttled
- E. If it is between -4 and +1, the email is accepted and additional emails from the sender are throttled
- F. If it is between -10 and -3, the email is blocked
- G. If it is between -10 and -3, the email is sent to the virus and spam engines for additional scanning
- H. If it is between -10 and -4, the email is blocked

Correct Answer: ACF

QUESTION 5

Which two conditions must you configure in an event action rule to match all IPv4 addresses in the victim range and filter on the complete subsignature range? (Choose two.)

- A. Disable event action override.
- B. Leave the victim address range unspecified.
- C. Set the subsignature ID-range to the default.
- D. Set the deny action percentage to 100.
- E. Set the deny action percentage to 0.

Correct Answer: BC

[300-207 VCE Dumps](#)

[300-207 Practice Test](#)

[300-207 Study Guide](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.passapply.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.
All trademarks are the property of their respective owners.
Copyright © passapply, All Rights Reserved.