

# 300-360<sup>Q&As</sup>

Designing Cisco Wireless Enterprise Networks

# Pass Cisco 300-360 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.passapply.com/300-360.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



# https://www.passapply.com/300-360.html 2021 Latest passapply 300-360 PDF and VCE dumps Download

#### **QUESTION 1**

What is the Cisco-recommended cell overlap percentage for a typical RToWLAN network design?

A. 5 to 10

B. at least 20

C. a maximum of 20

D. at least 50

Correct Answer: B

### **QUESTION 2**

Refer to the exhibit. An engineer has determined that Cisco 7925 phones are roaming between 2.4 6Hz and 5 6Hz radios on the same access points, which results in poor audio performance Which action must the engineer take to mitigate this issue?



# https://www.passapply.com/300-360.html

2021 Latest passapply 300-360 PDF and VCE dumps Download



Enabled

Enabled

Enabled

Low Band

Mid Band

High Band

48 Mbps

54 Mbps

Mode

**CCX Location Measurement** 

Supported M

Supported >

☐ Enabled

# VCE & PDF PassApply.com

# https://www.passapply.com/300-360.html

2021 Latest passapply 300-360 PDF and VCE dumps Download

- A. Enable TPCv2 to normalize the RF environment.
- B. Configure EDCA parameters for Voice Optimized.
- C. Configure the Cisco 7925 phone to only use 5 6Hz.
- D. Enable Band Select on the WLAN

Correct Answer: B

#### **QUESTION 3**

When designing and deploying an outdoor mesh network, what is the appropriate RF cell overlap?

- A. 10 percent
- B. 15 percent
- C. 20 percent
- D. 25 percent
- E. Application dependent

Correct Answer: E

#### **QUESTION 4**

An engineer is planning for a 24 Mbps data rate on the 5Ghz band for a new installation. What is the coverage area from the AP if the environment and other factors are not taken into consideration?

- A. 225 feet
- B. 80 feet
- C. 150 feet
- D. 100 feet

Correct Answer: A

Coverage (Cell Size)


Lower data rates can be demodulated across greater distances than higher data rates. This is because of the lower complexity encoding schemes -- the signal can be understood at a lower SNR. Enable lower data rates in order to increase

the effective range of the AP; disable the lower data rates in order to decrease the effective range of the AP.

Figure 16: Coverage (Cell Size)

# https://www.passapply.com/300-360.html

2021 Latest passapply 300-360 PDF and VCE dumps Download



Reference: https://www.cisco.com/c/en/us/support/docs/wireless/5500-series-wireless-controllers/116057-site-survey-guidelines-wlan-00.html

#### **QUESTION 5**

What RF phenomenon results from a presence of metallic I-beams, conveyor belts, chain-link fences, and metallic shelves found in a warehousing environment?

- A. scattering
- B. absorption
- C. free path loss
- D. multipath

Correct Answer: D

300-360 PDF Dumps

300-360 Practice Test

300-360 Braindumps



To Read the Whole Q&As, please purchase the Complete Version from Our website.

# Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

**Instant Download After Purchase** 

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.passapply.com/allproducts

# **Need Help**

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © passapply, All Rights Reserved.