300-375^{Q&As}

Securing Wireless Enterprise Networks

Pass Cisco 300-375 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/300-375.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

A wireless engineer wants to schedule monthly security reports in Cisco Prime Infrastructure. Drag and drop the report title from the left onto the expected results when the report is generated on the right.

Select and Place:

Adaptive wIPS Alarm Summary	Displays a summarized count of all rogue access points on your network.
Adhoc Rogue Count Summary	Displays a summary of security alarm trends over a period of time.
Rogue AP Count Summary	Displays a summarized count of all ad hoc rogue access points.
Security Alarm Trending Summary	Displays a summary of all adaptive wIPS alarms on your network.

Correct Answer:

	Rogue AP Count Summary
	Security Alarm Trending Summary
	Adhoc Rogue Count Summary
	Adaptive wIPS Alarm Summary

QUESTION 2

Which EAP types are supported by MAC 10.7 for authentication to a Cisco Unified Wireless Network?

A. LEAP and EAP-Fast only

B. EAP-TLS and PEAP only

C. LEAP, EAP-TLS, and PEAP only

D. LEAP, EAP-FAST, EAP-TLS, and PEAP

Correct Answer: D

QUESTION 3

An engineer must enable EAP on a new WLAN and is ensuing that the necessary components are available. Which component uses E and 802.1x to pass user authentication to the authenticator?

A. AP

B. AAA server

C. supplicant

D. controller

Correct Answer: D

QUESTION 4

When using the Standalone Profile Editor in the Cisco AnyConnect v3.0 to create a new NAM profile, which two statements describe the profile becoming active? (Choose two.)

A. selects the new profile from NAM

B. selects "Network Repair" from NAM

C. becomes active after a save of the profile name

D. ensures use of "configuration.xml" as the profile name ensures use of "config.xml" as the profile name

E. ensures use of "nam.xml" as the profile name

Correct Answer: BD

QUESTION 5

802.1X AP supplicant credentials have been enabled and configured on a Cisco WLC v7.0 in both the respective Wireless>AP>Global Configuration location and AP>Credentials tab locations. What describes the 802.1X AP authentication process when connected via Ethernet to a switch?

A. Only WLC AP global credentials are used.

B. Only AP credentials are used.

C. WLC global AP credentials are used first; upon failure, the AP credentials are used.

D. AP credentials are used first; upon failure, the WLC global credentials are used.

Correct Answer: B

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.passapply.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket: