



300-415^{Q&As}

Implementing Cisco SD-WAN Solutions (ENSDWI)

Pass Cisco 300-415 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/300-415.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which REST API call checks the status of an action that is performed on a device?

- A. admin status
- B. troubleshoot status
- C. configuration status
- D. monitor status

Correct Answer: D

QUESTION 2

Which color type is assigned when a TLOC is configured behind NAT?

- A. MPLS
- B. private
- C. blue
- D. public

Correct Answer: D

QUESTION 3

In the Cisco SD-WAN solution, vSmart controller is responsible for which two actions? (Choose two)

- A. Authenticate and authorize vEdge routers.
- B. Distribute the IP address from DHCP server to vEdge routers
- C. Distribute crypto key information among vEdge routers
- D. Configure and monitor vEdge routers
- E. Distribute route and policy information via OMP.

Correct Answer: CE

QUESTION 4



How does the replicator role function in cisco SD-WAN?

- A. WAN Edge devices advertise the rendezvous point to all the receivers through the underlay network.
- B. vSmart Controllers advertise the rendezvous point to all the receivers through the overlay network.
- C. WAN Edge devices advertise the rendezvous point to all receivers through the overlay network.
- D. vSmart Controllers advertise the rendezvous point to all the receivers through the underlay network.

Correct Answer: B

QUESTION 5

How many vManage NMSs should be installed in each domain to achieve scalability and redundancy?

- A. two clusters
- B. two instances
- C. two or more in a cluster
- D. three or more in a cluster

Correct Answer: C

[300-415 VCE Dumps](#)

[300-415 Practice Test](#)

[300-415 Study Guide](#)