

300-430^{Q&As}

Implementing Cisco Enterprise Wireless Networks (ENWLSI)

Pass Cisco 300-430 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.passapply.com/300-430.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

Refer to the exhibit.



An ACL is configured to restrict access for BYOD clients. The ACL must redirect devices to the guest portal. To which two devices on the local network must the ACL allow access other than the DHCP server? (Choose two.)

- A. SNMP server
- B. Cisco ISE
- C. DNS server
- D. WLCD
- E. RADIUS server

Correct Answer: BC

QUESTION 2

The IT department creates a video containing instructions for employees who have just joined the company. Newcomers need to join the wireless network named NEW4501999110. The WLAN name will be changed daily by IT support. Only new employees must receive the video over wireless multicast. What allows this feature?

- A. WMF
- B. WMM
- C. TPC
- D. DCA

VCE & PDF PassApply.com

https://www.passapply.com/300-430.html

2024 Latest passapply 300-430 PDF and VCE dumps Download

Correct Answer: A

QUESTION 3

An engineer must achieve the highest level of location accuracy possible for a new mobile application. Which technology must be implemented for this use case?

- A. Time Difference of Arrival
- B. Bluetooth Low Energy
- C. RSS lateration
- D. ToA lateration

Correct Answer: A

https://www.cisco.com/c/en/us/td/docs/solutions/Enterprise/Mobility/WiFiLBSDG/wifich2.html

QUESTION 4

When configuring a large, high-availability wireless network which change to a mobility group creates less load on the controllers and maintains the same mobility messages?

- A. Configure mobility group multicast messaging.
- B. Remove unnecessary controllers from the mobility group.
- C. Configure the controllers into separate RF groups from the mobility groups.
- D. Separate the controllers into different mobility groups per controller.

Correct Answer: A

QUESTION 5

Refer to the exhibit.

```
Please enter controller type [WLC / NGWC] [WLC]: WLC
Please enter controller ip: 0.0.0.0
Please enter the controller version [Optional]:
Please enter controller SNMP version [v1 / v2c / v3] [v2c]: v2c
Please enter controller SNMP write community [private]:
```

An event company must gather location-tracking details of wireless clients at an event where clients will be given free guest access to the Wi-Fi. A network engineer must integrate a Cisco WLC with a Cisco CMX server. Which command must be run?



https://www.passapply.com/300-430.html

2024 Latest passapply 300-430 PDF and VCE dumps Download

- A. [cmxadmin@cmx]# cmxctl config controllers add
- B. [cmxadmin@cmx]# cmxctl config controllers import
- C. [cmxadmin@cmx]# cmxctl config controllers activeap
- D. [cmxadmin@cmx]# cmxctl config controllers floors wlc-ip-address

Correct Answer: A

Reference:

https://www.cisco.com/c/en/us/td/docs/wireless/mse/10-6/cmx_command/cmxcli106/cmxcli1051_chapter_010.html

300-430 Practice Test

300-430 Study Guide

300-430 Exam Questions