



300-435^{Q&As}

Automating and Programming Cisco Enterprise Solutions (ENAUTO)

Pass Cisco 300-435 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/300-435.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

What does the command `boot ipxe forever switch 1` perform when executed on a Cisco IOS XE device?

- A. It continuously sends DHCP requests for iPXE until the device boots with an image.
- B. It continuously sends DNS requests for iPXE until the device restarts.
- C. It continuously sends DNS requests for iPXE until the device boots with an image.
- D. It continuously sends DHCP requests for iPXE until the device restarts.

Correct Answer: A

Reference: https://www.cisco.com/c/en/us/td/docs/switches/lan/catalyst3850/software/release/16-5/configuration_guide/prog/b_165_prog_3850_cg/ipxe.html

QUESTION 2

```
---
- name: Create Int
  hosts: lab
  gather_facts: no
  vars:
    intlist:
      - 0
      - 1
      - 2
  tasks:
- name: create int
  ios_interface:
    name: Loopback{{item}}
    enabled: true
```

Refer to the exhibit. Interfaces named Loopback0, Loopback1, and Loopback2 must be created and enabled on a Cisco IOS XE target device in the lab group. Which loop must be added to the end of the Ansible “create int” task?

- A. `with_items: “{{intlist}}”`
- B. `with_parent: “{{intlist}}”`
- C. `with_list: “{{intlist}}”`
- D. `with_groups: “{{intlist}}”`

Correct Answer: C



QUESTION 3

With the MV Sense API, which REST endpoint provides LUX level?

- A. /merakimv/XXXX-XXXX-XXXX/light
- B. /merakimv/XXXX-XXXX-XXXX/raw_detections
- C. /merakimv/XXXX-XXXX-XXXX/0
- D. /merakimv/XXXX-XXXX-XXXX/zones

Correct Answer: A

Reference: <https://developer.cisco.com/meraki/mv-sense/#!mqtt/lux-light-levels>

QUESTION 4

Which function is available in NETCONF and unavailable in RESTCONF?

- A. configuration changes are automatically activated
- B. uses the YANG data models to communicate
- C. supports JSON and data encoding
- D. validates the content of a candidate datastore

Correct Answer: D

Reference: https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/prog/configuration/169/b_169_programmability_cg/configuring_yang_datamodel.html

QUESTION 5

A new project called "device_status" must be stored in a central Git repository called "device_status" with the first file named "device_status.py". The Git repository is created using the account python_programmer. Which set of commands inserts the project into Git?



- A.

```
git init
git add device_status.py
git commit -m "Initial Revision"
git remote add origin \
    https://git.cisco.com/python_programmer/device_status.git
git push -u origin master
```
- B.

```
git init
git remote add origin \
    https://git.cisco.com/python_programmer/device_status.git
git add device_status.py
git pull
```
- C.

```
git init
git remote add origin \
    https://git.cisco.com/python_programmer/device_status.git
git add device_status.py
git commit -m "Initial Revision"
git pull -u origin master
```
- D.

```
git init
git add device_status.py
git remote add python_programmer/device_status
git push
```

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: A

Reference: <https://help.github.com/en/github/importing-your-projects-to-github/adding-an-existing-project-to-github-using-the-command-line>

[Latest 300-435 Dumps](#)

[300-435 Practice Test](#)

[300-435 Braindumps](#)