



# 300-435<sup>Q&As</sup>

Automating and Programming Cisco Enterprise Solutions (ENAUTO)

## Pass Cisco 300-435 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/300-435.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

```
{  
  "name": "Long Island Office",  
  "timeZone": "America/Los_Angeles",  
  "tags": "tag1 tag2",  
  "type": "wireless",  
  "disableMyMerakiCom": false  
}
```

Refer to the exhibit. Which two parameters are mandatory when the Cisco Meraki API is used to create a network? (Choose two.)

- A. tags
- B. timeZone
- C. type
- D. disableMyMerakiCom
- E. name

Correct Answer: BE

---

**QUESTION 2****DRAG DROP**

Drag and drop the steps from the left into the order on the right to create an end-to-end flow for Meraki Splash Screen using EXCAP.

Select and Place:



### Answer Area

The AAA service authenticates the user and passes the appropriate web service

The client device is associated and redirected to the splash server

The Meraki cloud services invoke the AAA service to validate user credentials

Client sign-on is required

step 1

step 2

step 3

step 4

Correct Answer:

### Answer Area

The client device is associated and redirected to the splash server

The Meraki cloud services invoke the AAA service to validate user credentials

Client sign-on is required

The AAA service authenticates the user and passes the appropriate web service

### QUESTION 3

Refer to the exhibit.



```
import requests

url = "https://api.meraki.com/api/v1/networks/ENAUTO/devices/remove"

payload = '''{ "serial": "Q134-....." }'''

headers = {
    "Content-Type": "application/json",
    "Accept": "application/json",
    "": "",
    "X-Cisco-Meraki-API-Key": "6bec40cf957de430a6f1f2012345678a4fac9ea0"
}

print(response.text.encode('utf8'))
```

An engineer needs to remove the device with serial Q134\_06776318 FROM THE NETWORK `ENAUTO` by utilizing Meraki APIs.

Which line of code must be added to the box where the code is missing to complete the python request?

- A. `response = requests.request('\\POST\\'.url.headers=headers.data=payload)`
- B. `response = requests.request('\\DELETE\\'.url.headers=headers.data=payload)`
- C. `response = requests.request('\\POST\\'.url.data=payload)`
- D. `response = requests.request('\\DELETE\\'.url.headers=headers)`

Correct Answer: A

#### QUESTION 4

Which URI removes an administrator from a Meraki network using an API call?

- A. DELETE `https://api/meraki.com/api/v0/organizations//admins/`
- B. DELETE `https://api/meraki.com/api/v0/admins/`
- C. PUT `https://api/meraki.com/api/v0/organizations//admins/?delete=`
- D. DELETE `https://api/meraki.com/api/v0/organizations//admins/`

Correct Answer: A

NOTE: The options are fundamentally wrong. The answer is correct. It should be `api.meraki.com/api/v0/organizations/`

Reference:

[https://documentation.meraki.com/zGeneral\\_Administration/Other\\_Topics/The\\_Cisco\\_Meraki\\_Dashboard\\_API](https://documentation.meraki.com/zGeneral_Administration/Other_Topics/The_Cisco_Meraki_Dashboard_API) (see delete an administrator)

**QUESTION 5****FILL BLANK**

Fill in the blanks to complete this API request against the Cisco SD\_WAN vManage Statistics API, which specified a deviceId of 260faff9-2d31-4312-cf96-143b46db0211, a local-color of biz-internet, and a remote-color of gold.

`https://vmanage-ip-address:8443/dataservice/device/app-route/statistics?`  `260faff9-2d31-4312-cf96-143b46db0211`  `biz-internet`  `gold`

A. deviceId=, local-color, remote-color

Correct Answer: A

Reference: [https://sdwan-docs.cisco.com/Product\\_Documentation/Command\\_Reference/Command\\_Reference/vManage\\_REST\\_APIs/Real-Time\\_Monitoring\\_APIs/Application-Aware\\_Routing#Statistics](https://sdwan-docs.cisco.com/Product_Documentation/Command_Reference/Command_Reference/vManage_REST_APIs/Real-Time_Monitoring_APIs/Application-Aware_Routing#Statistics)

[300-435 PDF Dumps](#)

[300-435 Practice Test](#)

[300-435 Exam Questions](#)