



300-615^{Q&As}

Troubleshooting Cisco Data Center Infrastructure (DCIT)

Pass Cisco 300-615 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/300-615.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

An engineer troubleshoots a failed DCBX exchange between a server and a Cisco Nexus switch. Which action allows DCBX to successfully negotiate?

- A. Enable ETS
- B. Enable PFC.
- C. Enable Cisco Discovery Protocol.
- D. Enable LLDP.

Correct Answer: D

QUESTION 2

The external routes fail to propagate to leaf switches in Cisco ACI fabric Which two actions resolve the issue? (Choose two.)

- A. Enable the VTEP pool in the fabric
- B. Assign an MP-BGP AS number to the fabric.
- C. Specify the spine nodes as route reflectors
- D. Associate the correct contract to the L3out.
- E. Configure an MP-BGP area.

Correct Answer: BC

QUESTION 3

Refer to the exhibit.



```
UCS-1-A# connect nxos
UCS-1-A(nx-os)# show flogi database
^
% Invalid command at '^' marker.
UCS-1-A(nx-os)#
```

An administrator directly connects a Fibre Channel storage array to ports 1 through 4 on a Cisco UCS 6454 Fabric Interconnect. The administrator configures a service profile to boot directly from the new Fibre Channel storage array, but the service profile fails to boot. When the administrator checks the output of the show flogi database command on the fabric interconnect, it shows the output presented in the exhibit. Which action resolves the issue?

- A. Configure the Zoning Type in vHBA Initiator Group as Multiple Initiator Multiple Target.
- B. Configure the fabric interconnects in Fibre Channel end-host mode.
- C. Configure the Zoning Type in vHBA Initiator Group as Multiple Initiator Single Target.
- D. Configure the fabric interconnects in Fibre Channel switch mode.

Correct Answer: D

QUESTION 4

An engineer removes a VMM domain from an endpoint group called EPG-1, but the distributed port group fails to be deleted. Which action must be taken to resolve the issue?

- A. Remove the port group manually.
- B. Migrate all virtual machines in the EPG-1 to different hypervisors.
- C. Remove the remaining EPGs from the VMM domain.
- D. Migrate all virtual machines in the EPG-1 to different port groups.

Correct Answer: C

QUESTION 5

An engineer upgrades Cisco UCS firmware from release 3.1(2) to release 3.1(3) using AutoInstall. Both fabric interconnects go offline during the software upgrade installation and issue multiple FSM retries in the DeployPollActivate stage. Which set of actions resolves the issue?



- A. Clear the startup version of the default infrastructure and server pack. Remove the service pack from the subordinate node. Upgrade with the Force attribute through AutoInstall.
- B. Enable the management interface monitoring policy on the fabric interconnects. Initiate a configuration backup on both fabric interconnects. Commit the pending fabric interconnect reboot activity.
- C. Fix the rights to 666 with the debug plugin on the primary fabric interconnect. Save the current configuration on the running fabric interconnect. Continue the upgrade on both fabric interconnects.
- D. Acknowledge the error and reboot the primary fabric interconnect. Clear the default firmware version and upload a new one. Restart the upgrade process manually.

Correct Answer: A

[Latest 300-615 Dumps](#)

[300-615 VCE Dumps](#)

[300-615 Practice Test](#)