300-615^{Q&As}

Troubleshooting Cisco Data Center Infrastructure (DCIT)

Pass Cisco 300-615 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/300-615.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco Official Exam Center

QUESTION 1

A Cisco Nexus Series interface is errdisabled with the error message "DCX-No ACK in 100 PDUs". What is the cause of this error?

A. The host has not responded to the Control Sub-TLV DCBX exchanges of the switch.

B. The acknowledgement number in the server response has not incremented for 100 exchanges.

C. Cisco Discovery Protocol is disabled on the switch.

D. LLDP is disabled on the switch.

Correct Answer: B

QUESTION 2

A server fails to boot from the operating system after a RAID1 cluster migration. The RAID remains in an inactive state during and after a service profile association. Which action resolves the issue?

A. Configure the SAN boot target in the service profile.

B. Configure the SAN boot target to any configuration mode.

C. Use a predefined local disk configuration policy.

D. Remove the local disk configuration policy.

Correct Answer: C

QUESTION 3

You need to verify that the leafs and the leaf ports are programmed correctly. Which command should you run?

A. show vlan brief

B. show vlan extended

C. show hsrp brief

D. show port-channel summary

Correct Answer: D

QUESTION 4

You upgrade Cisco UCS Director. When you power on the Cisco UCS Director VM, the websock service fails to start. Which action do you take to resolve the issue?

A. Resynchronize the NTP time and time zone information on each node.

B. Import the correct SSL certificates.

C. After you power on the VM, press Alt-F1 to refresh the VMware console.

D. Ensure that the websock service starts automatically after an upgrade.

Correct Answer: B

QUESTION 5

Which action do you take to recover a Cisco UCS Director password?

A. Use SSH to log in to the device, and then reset the password.

B. Mount the Cisco UCS Director image on a KVM, reload the device, and then reset the password.

C. Log into the Cisco UCS Director appliance as root, and then run the admin password reset script.

D. Press CTRL-Break when the system boots, and then configure the config-register command to ignore the current configuration.

Correct Answer: C