

300-615^{Q&As}

Troubleshooting Cisco Data Center Infrastructure (DCIT)

Pass Cisco 300-615 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.passapply.com/300-615.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

Refer to the exhibit.

N9K-B N9K-A interface Vlan100 interface Vlan100 ip address 10.10.100.195/26 ip address 10.10.100.194/26 ip router eigrp 50 ip router eigrp 50 ip passive-interface eigrp 50 ip passive-interface eigrp 50 hsrp 100 hsrp 100 authentication text pa\$\$word authentication text pa\$\$word preempt preempt priority 120 priority 150 timers msec 300 msec 1500 timers msec 500 msec 1000 ip 10.10.100.193 ip 10.10.100.193 no shutdown no shutdown N9K-A# sh hsrp brief *: IPv6 group #:group belongs to a bundle P indicates configured to preempt. Interface Grp Prio P State Active addr Standby addr Group addr Vlan100 100 150 P Active local unknown 10.10.100.193 (conf) N9K-B# sh hsrp brief *: IPv6 group #:group belongs to a bundle P indicates configured to preempt. Interface Grp Prio P State Active addr Standby addr Group addr Vlan100 100 120 P Active local unknown 10.10.100.193 (conf)

The HSRP instance on both switches is showing as active. Which action resolves the issue?

- A. Configure the HSRP timers to be the same.
- B. Allow VLAN 100 between the switches.
- C. Configure the IP address of N9K-B on the same subnet as N9K-A.
- D. Configure preempt on only one of the switches.

Correct Answer: B

QUESTION 2

The external routes fail to propagate to leaf switches in Cisco ACI fabric Which two actions resolve the issue? (Choose two.)

VCE & PDF PassApply.com

https://www.passapply.com/300-615.html

2024 Latest passapply 300-615 PDF and VCE dumps Download

- A. Enable the VTEP pool in the fabric
- B. Assign an MP-BGP AS number to the fabric.
- C. Specify the spine nodes as route reflectors
- D. Associate the correct contract to the L30ut.
- E. Configure an MP-BGP area.

Correct Answer: BC

QUESTION 3

Refer to the exhibit.

event manager applet INTERFACE_TRACK

description "Send SNMP trap when interface is flapping"
event syslog occurs 3 period 10 pattern "ETHPORT-5-IF_DOWN"
action 1.0 snmp-trap strdata "INTERFACE IS FLAPPING"

A network administrator created an EEM script to alert network management about flapping interfaces on a Cisco Nexus Series Switch. The applet must run when an interface flaps three times within 10 minutes. The EEM script fails to run as expected. Which action resolves the issue?

- A. Use integer data within the SNMP trap.
- B. Change the event period to 600.
- C. Configure a policy-default action.
- D. Associate a scheduler to the EEM script.

Correct Answer: B

QUESTION 4

A customer has a Cisco UCS Center cluster. The customer configures LDAP as the AAA protocol and enables SSL for LDAP. The LDAP authentication fails. Which issue is the cause of the failure?

- A. The LDAP client passed an incorrect from the trustpoint.
- B. The ca certificate is missing from the trustpoints.
- C. The LDAP server limit that is set by an administrative authority was exceeded.

https://www.passapply.com/300-615.html 2024 Latest passapply 300-615 PDF and VCE dumps Download

D. The LDAP time limit that is specified by either the client or the server was exceeded.

Correct Answer: B

QUESTION 5

Refer to the exhibit.

bash-4.3# docker run -d -p 69:69/udp -it cisco/tftp
Unable to find image cisco/tftp:latest' locally
docker: Error response from daemon: Get ttps://registry1.docker.ic/v2/: dial tcp: lookup registry-1.docker.io on
[::1]:53: dial udp [::1]:53: connect: cannot assign requested address.

An engineer is experiencing a problem when running a Docker container inside the Cisco Nexus 9000 bash shell. Which action resolves the issue?

- A. Add a new nameserver
- B. Connect to bash as a different user
- C. Change VRF to management
- D. Configure the mgmt0 interface

Correct Answer: B

300-615 PDF Dumps

300-615 Practice Test

300-615 Study Guide