



300-730^{Q&As}

Implementing Secure Solutions with Virtual Private Networks (SVPN)

Pass Cisco 300-730 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/300-730.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Refer to the exhibit.

```
aaa authentication login default local
aaa authorization network Flex_AAA local

crypto ikev2 authorization policy Flex_Auth
  route set remote ipv4 10.0.0.0 255.255.255.0

crypto ikev2 proposal Crypto_Proposal
  encryption aes-cbc-256
  integrity sha256
  group 14

crypto ikev2 policy Crypto_Policy
  proposal Crypto_Proposal

crypto ikev2 keyring FlexKey
  peer any
    address 0.0.0.0 0.0.0.0
    pre-shared-key cisco
  !

crypto ikev2 profile IKEv2_Profile
  match identity remote address 192.168.0.12 255.255.255.255
  authentication local pre-share
  authentication remote pre-share
  keyring local FlexKey
  aaa authorization group cert list Flex_AAA Flex_Auth

crypto ipsec transform-set TS esp-aes 256 esp-sha256-hmac
  mode tunnel

crypto ipsec profile FlexVPN_Ipsec
  set transform-set TS
  set ikev2-profile IKEv2_Profile

interface Tunnell
  ip address negotiated
  tunnel source GigabitEthernet1
  tunnel mode ipsec ipv4
  tunnel destination 192.168.0.12
  tunnel protection ipsec profile FlexVPN_Ipsec
```



The VPN tunnel between the FlexVPN spoke and FlexVPN hub 192.168.0.12 is failing. What should be done to correct this issue?

- A. Add the address 192.168.0.12 255.255.255.255 command to the keyring configuration.
- B. Add the match fvr any command to the IKEv2 policy.
- C. Add the aaa authorization group psk list Flex_AAA Flex_Auth command to the IKEv2 profile configuration.
- D. Add the tunnel mode gre ip command to the tunnel configuration.

Correct Answer: C

QUESTION 2

Which two components are required in a Cisco IOS GETVPN key server configuration? (Choose two.)

- A. RSA key
- B. IKE policy
- C. SSL cipher
- D. GRE tunnel
- E. L2TP protocol

Correct Answer: AB

QUESTION 3

Where is split tunneling defined for IKEv2 remote access clients on a Cisco router?

- A. IKEv2 authorization policy
- B. Group Policy
- C. virtual template
- D. webvpn context

Correct Answer: A

```
VPN-ROUTER(config)# ip access-list extended SPLIT_TUNNEL_ACL
VPN-ROUTER(config-std-nacl)# permit 172.20.1.0 0.0.0.255
VPN-ROUTER(config-std-nacl)# crypto ikev2 authorization policy
EMPLOYEES VPN-ROUTER(config-ikev2-author-policy)# route set access-list SPLIT_TUNNEL_ACL
```

QUESTION 4



Where must an engineer configure a preshared key for a site-to-site VPN tunnel configured on a Cisco ASA?

- A. isakmp policy
- B. group policy
- C. crypto map
- D. tunnel group

Correct Answer: D

QUESTION 5

Which two types of web resources or protocols are enabled by default on the Cisco ASA Clientless SSL VPN portal? (Choose two.)

- A. HTTP
- B. ICA (Citrix)
- C. VNC
- D. RDP
- E. CIFS

Correct Answer: AE

"NOTE You will not see an option of RDP, VNC, SSH, and/or Telnet unless the appropriate client/server plug-in has been installed first. " Leaves only HTTP and CIFS as your options.

[300-730 VCE Dumps](#)

[300-730 Practice Test](#)

[300-730 Study Guide](#)