



# 300-735<sup>Q&As</sup>

Automating and Programming Cisco Security Solutions (SAUTO)

## Pass Cisco 300-735 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/300-735.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Refer to the exhibit.

```
curl -X PUT \  
  --header "Accept: application/json" \  
  --header "Authorization: Bearer ${ACCESS_TOKEN}" \  
  --header "Content-Type: application/json" \  
  -d '{  
    "id": "XXXXXXXXXX",  
    "ruleAction": "DENY",  
    "eventLogAction": "LOG_FLOW_START",  
    "type": "accessrule",  
  }' \  
  "https://${HOST}:${PORT}/api/fdm/v3/policy/accesspolicies/  
  /{parentId}/accessrules/{objId}"
```

The security administrator must temporarily disallow traffic that goes to a production web server using the Cisco FDM REST API. The administrator sends an API query as shown in the exhibit.

What is the outcome of that action?

- A. The given code does not execute because the mandatory parameters, source, destination, and services are missing.
- B. The given code does not execute because it uses the HTTP method "PUT". It should use the HTTP method "POST".
- C. The appropriate rule is updated with the source, destination, services, and other fields set to "Any" and the action set to "DENY". Traffic to the production web server is disallowed, as expected.
- D. A new rule is created with the source, destination, services, and other fields set to "Any" and the action set to "DENY". Traffic to the production web server is disallowed, as expected.

Correct Answer: C

### QUESTION 2

Which API is used to query if the domain "example.com" has been flagged as malicious by the Cisco Security Labs team?

- A. <https://s-platform.api.opendns.com/1.0/events?example.com>
- B. <https://investigate.api.umbrella.com/domains/categorization/example.com>
- C. <https://investigate.api.umbrella.com/domains/volume/example.com>
- D. <https://s-platform.api.opendns.com/1.0/domains?example.com>



Correct Answer: B

### QUESTION 3

Which API is designed to give technology partners the ability to send security events from their platform/service/appliance within a mutual customer's environment to the Umbrella cloud for enforcement?

- A. Cisco Umbrella Management API
- B. Cisco Umbrella Security Events API
- C. Cisco Umbrella Enforcement API
- D. Cisco Umbrella Reporting API

Correct Answer: C

### QUESTION 4

Refer to the exhibit.

```
import json
import requests

USER = "admin"
PASS = "Clsc012345"
TENAT_ID = "132"
TAG_ID = "24"
BASE_URL = "https://198.18.128.136"
CREDENTIALS = {'password': PASS, 'username': USER}
DMZ_IP = "198.18.128.147"
HEADERS = {'Content-type': 'application/json', 'Accept': 'application/json'}

session = requests.Session()
session.post(BASE_URL+"/token/v2/authenticate", data= CREDENTIALS, verify=False)

TAG_URL=BASE_URL+"/smc-configuration/rest/v1/tenants/{0}/tags/{1}".format(TENAT_ID, TAG_ID)
tag_session = session.get(url=TAG_URL, verify=False).content.decode()
```

A network operator wants to add a certain IP to a DMZ tag. Which code segment completes the script and achieves the goal?



- A. 

```
tag_data = json.dumps(tag_session) ['data']
tag_data['ranges'].append(DMZ_IP)
session.put(TAG_URL, json=tag_data, headers=HEADERS, verify=False)
```
- B. 

```
tag_data = json.loads(tag_session) ['data']
tag_data['ranges'].append(DMZ_IP)
session.put(TAG_URL, data=tag_data, headers=HEADERS, verify=False)
```
- C. 

```
tag_data = json.dumps(tag_session) ['data']
tag_data['ranges'].append(DMZ_IP)
session.put(TAG_URL, data=json.loads(tag_data), headers=HEADERS, verify=False)
```
- D. 

```
tag_data = json.loads(tag_session) ['data']
tag_data['ranges'].append(DMZ_IP)
session.put(TAG_URL, json=tag_data, headers=HEADERS, verify=False)
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Correct Answer: A

## QUESTION 5

Refer to the exhibit.

```
import requests

headers = {
    'Authorization': 'Bearer ' + investigate_api_key
}

domains=["cisco.com", "google.com", "xreddfr.df"]

investigate_url= "https://investigate.api.umbrella.com/domains/categorization/"
values = str(json.dumps(domains))
response = requests.post(investigate_url, data=values, headers=headers)
```

What does the response from the API contain when this code is executed?

- A. error message and status code of 403
- B. newly created domains in Cisco Umbrella Investigate
- C. updated domains in Cisco Umbrella Investigate
- D. status and security details for the domains



Correct Answer: D

[300-735 PDF Dumps](#)

[300-735 VCE Dumps](#)

[300-735 Study Guide](#)