



300-735^{Q&As}

Automating and Programming Cisco Security Solutions (SAUTO)

Pass Cisco 300-735 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/300-735.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Refer to the exhibit.

```
import requests

URL = 'https://sma.cisco.com:6080/sma/api/v2.0/quarantine/messages/details?quarantineType=spam&device_type=esa'
HEADERS = {'Authorization': 'Basic Y2hlcGFlyWJSQSize'}

response = requests.get(URL, headers=HEADERS)
```

A security engineer attempts to query the Cisco Security Management appliance to retrieve details of a specific message. What must be added to the script to achieve the desired result?

- A. Add message ID information to the URL string as a URI.
- B. Run the script and parse through the returned data to find the desired message.
- C. Add message ID information to the URL string as a parameter.
- D. Add message ID information to the headers.

Correct Answer: C

QUESTION 2

Which step is required by Cisco pxGrid providers to expose functionality to consumer applications that are written in Python?

- A. Look up the existing service using the /pxgrid/control/ServiceLookup endpoint.
- B. Register the service using the /pxgrid/control/ServiceRegister endpoint.
- C. Configure the service using the /pxgrid/ise/config/profiler endpoint.
- D. Expose the service using the /pxgrid/ise/pubsub endpoint.

Correct Answer: D

QUESTION 3

Refer to the exhibit.



```
import requests

API_KEY = "123456789abcdef"

URL = "https://example.observbl.com/api/v3/alerts/alert/"

HEADERS = {"Authorization": "Bearer {}".format(API_KEY)}

response = requests.get(URL, headers=HEADERS)
```

A security engineer created a script and successfully executed it to retrieve all currently open alerts. Which print command shows the first returned alert?

- A. `print(response[data][0])`
- B. `print(response[results][0])`
- C. `print(response.json()[data][0])`
- D. `print(response.json()[results][0])`

Correct Answer: A

QUESTION 4

Which two URI parameters are needed for the Cisco Stealthwatch Top Alarm Host v1 API? (Choose two.)

- A. `startAbsolute`
- B. `externalGeos`
- C. `tenantId`
- D. `intervalLength`
- E. `tagID`

Correct Answer: CE

QUESTION 5

DRAG DROP

Drag and drop the code to complete the API call to query all Cisco Stealthwatch Cloud observations. Not all options are used.



Select and Place:

	https://example.observbl.com/api/v3/
	/

observations	DELETE	GET
POST	all/	all
obsrv	?query=all	

Correct Answer:

GET	https://example.observbl.com/api/v3/
observations	/
	all

	DELETE
POST	all/
obsrv	?query=all