300-735^{Q&As}

300-735^{Q&As}

Automating and Programming Cisco Security Solutions (SAUTO)

Pass Cisco 300-735 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/300-735.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

Which two statements describe the characteristics of API styles for REST and RPC? (Choose two.)

A. REST-based APIs function in a similar way to procedures.

B. REST-based APIs are used primarily for CRUD operations.

C. REST and RPC API styles are the same.

D. RPC-based APIs function in a similar way to procedures.

E. RPC-based APIs are used primarily for CRUD operations.

Correct Answer: BD

QUESTION 2

Which two event types can the eStreamer server transmit to the requesting client from a managed device and a management center? (Choose two.)

A. user activity events

B. intrusion events

C. file events

D. intrusion event extra data

E. malware events

Correct Answer: BD

QUESTION 3

FILL BLANK

Fill in the blank to complete the statement with the correct technology.

Cisco _____ Investigate provides access to data that pertains to DNS security events and correlations collected by the Cisco security team.

Correct Answer: Umbrella

QUESTION 4

What is the purpose of the snapshot APIs exposed by Cisco Stealthwatch Cloud?

A. Report on flow data during a customizable time period.

B. Operate and return alerts discovered from infrastructure observations.

C. Return current configuration data of Cisco Stealthwatch Cloud infrastructure.

D. Create snapshots of supported Cisco Stealthwatch Cloud infrastructure.

Correct Answer: B

QUESTION 5

Refer to the exhibit. A network operator wrote a Python script to retrieve events from Cisco AMP.

```
import requests
CLIENT_ID = 'a1b2c3d4e5f6g7h8i9j0'
API_KEY = 'a1b2c3d4-e5f6-g7h8-i9j0-k112m3n4o5p6'
----MISSING CODE----
URL = BASE_URL+'/v1/events'
request = requests.get(url, auth=(amp_client_id, amp_api_key))
```

Against which API gateway must the operator make the request?

A. BASE_URL = "https://api.amp.cisco.com"

B. BASE_URL = "https://amp.cisco.com/api"

C. BASE_URL = "https://amp.cisco.com/api/"

D. BASE_URL = "https://api.amp.cisco.com/"

Correct Answer: A