



300-735^{Q&As}

Automating and Programming Cisco Security Solutions (SAUTO)

Pass Cisco 300-735 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/300-735.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Refer to the exhibit.

```
import requests

headers = {
    'Authorization': 'Bearer ' + investigate_api_key
}

domains=["cisco.com", "google.com", "xreddfr.df"]

investigate_url= "https://investigate.api.umbrella.com/domains/categorization/"
values = str(json.dumps(domains))
response = requests.post(investigate_url, data=values, headers=headers)
```

What does the response from the API contain when this code is executed?

- A. error message and status code of 403
- B. newly created domains in Cisco Umbrella Investigate
- C. updated domains in Cisco Umbrella Investigate
- D. status and security details for the domains

Correct Answer: D

QUESTION 2

Refer to the exhibit.

```
quiz = [
    {
        "question": "Which of these is an IEEE standard for port-based Network Access Control",
        "choices": {"a": "802.11x", "b": "802.1x", "c": "802.11a", "d": "802.11b"},
        "answer": "b"
    },
]
```

Which expression prints the text "802.1x"?

- A. `print(quiz[0][\choices\"][\b\])`
- B. `print(quiz[\choices\"][\b\])`
- C. `print(quiz[0][\choices\"][\b\][\802.1x\])`



D. print(quiz[0][\\question\\'][\\choices\\'][\\b\\'])

Correct Answer: A

QUESTION 3

A developer has just completed the configuration of an API that connects sensitive internal systems. Based on company policies, the security of the data is a high priority.

Which approach must be taken to secure API keys and passwords?

- A. Embed them directly in the code.
- B. Store them in a hidden file.
- C. Store them inside the source tree of the application.
- D. Change them periodically.

Correct Answer: D

QUESTION 4

Refer to the exhibit.

```
import requests

URL = 'https://sma.cisco.com:6080/sma/api/v2.0/quarantine/messages/details?quarantineType=spam&device_type=esa'
HEADERS = {'Authorization': 'Basic Y2hlcGFhYXNjaWZlcnQz'}

response = requests.get(URL, headers=HEADERS)
```

A security engineer attempts to query the Cisco Security Management appliance to retrieve details of a specific message. What must be added to the script to achieve the desired result?

- A. Add message ID information to the URL string as a URI.
- B. Run the script and parse through the returned data to find the desired message.
- C. Add message ID information to the URL string as a parameter.
- D. Add message ID information to the headers.

Correct Answer: C



QUESTION 5

Which two event types can the eStreamer server transmit to the requesting client from a managed device and a management center? (Choose two.)

- A. user activity events
- B. intrusion events
- C. file events
- D. intrusion event extra data
- E. malware events

Correct Answer: BD

[Latest 300-735 Dumps](#)

[300-735 Exam Questions](#)

[300-735 Braindumps](#)