



# 300-810<sup>Q&As</sup>

Implementing Cisco Collaboration Applications (CLICA)

## Pass Cisco 300-810 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/300-810.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





### QUESTION 1

An administrator is configuring digital networking between Cisco Unity Connection clusters. What are two requirements for the configuration? {Choose two.}

end-user credentials

- A. IP address/FQDN of LDAP server
- B. IP address/FQDN of Cisco UCM servers
- C. system administrator credentials
- D. IP address/FQDN of the Cisco Unity Connection servers

Correct Answer: CD

---

### QUESTION 2

Users report that they are unable to check voicemail, and an engineer discovers that the voicemail system is not routing calls between Cisco Unity Connection and Cisco UCM via SCCP

Which action should be taken to resolve this issue?

- A. Verify registration of the CTI ports.
- B. Verify OPTIONS Ping in the SIP trunk profile.
- C. Verify voicemail SIP trunk in the route list.
- D. Verify Calling Search Space in the Directory Number setting.

Correct Answer: D

---

### QUESTION 3

Which service must be activated on Cisco Unity Connection to utilize LDAP synchronization?

- A. Cisco Tomcat
- B. Cisco Sync Agent
- C. Cisco DirSync
- D. Cisco RIS Data Collector

Correct Answer: C

Reference:



[https://www.cisco.com/c/en/us/td/docs/voice\\_ip\\_comm/connection/10x/administration/guide/10xcucsagx/10xcucsag120.html](https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/connection/10x/administration/guide/10xcucsagx/10xcucsag120.html)

---

#### QUESTION 4

Which two child elements can be in an XMPP message stanza? (Choose two.)

- A.
- B.
- C.
- D.
- E.

Correct Answer: DE

As described under extended namespaces, a message stanza MAY contain any properly-namespaced child element.

In accordance with the default namespace declaration, by default a message stanza is qualified by the `\\jabber:client\\` or `\\jabber:server\\` namespace, which defines certain allowable children of message stanzas. If the message stanza is of type "error", it MUST include an child; for details, see [XMPPCORE]. Otherwise, the message stanza MAY contain any of the following child elements without an explicit namespace declaration:

---

#### QUESTION 5

Which statement describes a role of AXL communications in the BLF Plug-in Service of the Cisco UAC?

- A. The AXL communications allow registered attendants to log in to Cisco UCM and receive calls.
- B. The AXL communications enable Device Resolution Manager to resolve the device statuses of operator and system devices.
- C. The AXL communications is required after installation to verify that the specified CTI manager or managers and Cisco UAC versions match.
- D. The AXL communications is required after installation to verify that the specified CTI manager or managers and Cisco UCM versions match.

Correct Answer: D

[Latest 300-810 Dumps](#)

[300-810 VCE Dumps](#)

[300-810 Study Guide](#)